



## **THERMOPLASTIC DOORS AND COMPONENTS**

CUSTOM PROGRAM



The Prémoulé Custom Program is the most simple approach to ordering quality reliable products. From a vast array of possibilities you may choose models, designs, profiles, colors and finishes. A complete range of complimentary accessory items complete the program.

The Thermoplastic Program enables you to innovate and to develop your own line of custom designed products. With a most impressive selection of colors and options, you will successfully complete all your projects ultimately enhancing profitability and market leadership.

Thermoplastic products are a great value for you and your customers: easy to order, easy to install and easy to maintain. Premoulé offers quality and reliability in Thermoplastic products and services.

At Prémoule, your success is our goal! Reliability, flexibility and creativity are values anchored in our workforce.

Quality products, the day promised.

|                               |                                 |                                |                           |                  |
|-------------------------------|---------------------------------|--------------------------------|---------------------------|------------------|
|                               | Prémoulé System<br>2            |                                | Door Models<br>4          | Panels<br>32     |
| Frame and Mullion Doors<br>34 | Mouldings and Accessories<br>36 | Technical Specifications<br>42 | Colors and Finishes<br>44 |                  |
| High Brillance<br>48          | Pro-Teint Finishing<br>50       | Glaze on thermoplastic<br>54   |                           | High Gloss<br>55 |

CERTIFICAT DE  
**GARANTIE**  
CERTIFICATE OF  
**WARRANTY**

**10** ANS / YEARS

APPLICABLE SUR LES PRODUITS THERMOPLASTIQUES  
Dès le 1<sup>er</sup> janvier 2011 (voir les conditions au verso)

APPLICABLE TO THERMOPLASTIC PRODUCTS  
Starting on January 1<sup>st</sup> 2011 (see conditions on reverse)

Distributeur / Distributor

No de facture / Invoice #

Date d'achat / Date of purchase



# CERTIFICATE OF WARRANTY

## 1. General Terms and Conditions

Prémoulé guarantees its thermoplastic products which are distributed and sold through an authorized distributor.

The installation should only be done by an experienced professional. It is also the responsibility of the person installing the product to determine its suitability for a particular application.

Prémoulé guarantees its products against yellowing, delamination or any apparent or hidden defect that might affect their quality or cause premature deterioration. The following conditions apply:

## 2. Duration

This guarantee is valid for a period of 10 years following the date of purchase.

## 3. Exclusions

This guarantee does not apply:

### 3.1 When damages are caused:

- by misuse or abuse of the product by the buyer
- by improper installation or exposure to the elements
- by any modification, transformation, or correction of the product without a written authorization from Prémoulé;
- by improper storage;
- by any indirect damage (including incidentals, special or consequential damages);
- by exposure to a temperature over 85 °C (185 °F)

### 3.2 To any deterioration of the product resulting from normal wear and tear.

### 3.3 To any damage or incident relating to the costs of installation and transportation, or any other costs relative to the application of this guarantee.

## 4. Scope

This guarantee is unassignable and constitutes the only guarantee offered by Prémoulé.

**There is no guarantee of merchantability or fitness for specific purposes other than the guarantee detailed above. Prémoulé makes no other guarantee whatsoever, expressed or implied, oral or written.**

## 5. Execution of Guarantee


For the duration of this guarantee, in order to exercise his rights, the buyer shall notify as soon as possible the authorized distributor or PRÉMOULÉ of any defect in the product and shall provide proof of purchase or the back of this present certificate properly completed. The buyer shall not make any repairs before the authorized distributor has had an opportunity to examine the product and its installation.

When this guarantee is applicable, Prémoulé may repair its products, provide replacement products or, at its sole option, offer the reimbursement of the purchase price.

## 6. Authorized Distributor

Only an authorized Prémoulé distributor may, in compliance with the terms and conditions of this guarantee, assume the obligations contained herein after obtaining prior authorization from Prémoulé. The authorized distributor is not mandated by Prémoulé to modify or extend the scope of this guarantee.

## Design

Model **207**


Color: R204W



Grooves optional. Details on page 31.

## Interior Profiles

Certain interior profiles are available with Pro-Teint Italian Lacquer, please refer to Customer Service for more information.




## SPECIAL PROGRAMMING

Prémoulé manufactures custom door models to specification.

Please contact a Customer Service Representative for further information.



## Exterior Profiles



\* Exterior profiles H and P available with MDF (only 1").

\*\* Exterior profiles V and W available with an upcharge.

## SPECIAL MODELS



Model **164** Cat. 4  
Color: R207W  
Page 10



Model **167** Cat. 4  
Color: R207W  
Page 11



Model **764-767** Cat. 5  
Color: P340W  
Page 10-11



Model **910** Cat. 6  
Color: R207W  
Page 30



Model **911** Cat. 3  
Color: C92W  
Page 29



Model **912** Cat. 3  
Color: C92W  
Page 28



Model **921** Cat. 3  
Color: C72R  
Page 27



Model **928** Premium  
Color: R205W  
Page 8



Model **942** Cat. 6  
Color: R205W  
Page 8



Model **943** Premium  
Color: R204W  
Page 9




Model **944** Premium  
Color: R204W  
Page 9



Model **972** Cat. 4  
Color: C92W  
Page 26



Model **974** Cat. 4  
Color: C72R  
Page 26




Model **996** Cat. 3  
Color: R204W  
Page 30

# DOOR MODELS


## MITRE STYLE SYSTEM SERIES 7000

- Mullion doors are available in series 4100 and models 6706, 6708, 6909 and 6912.
- Multiple panels are available in models 5282, 5283, 5284, 5285, 5286, 5287 and 5288.
- Models with 1  $\frac{3}{8}$  and 2 inch frame width do not offer enough hinge clearance.
- Mitre Style door models are manufactured with their own exterior profile (N).
- Mitre style door models 7730 and 7930 are not available for glass insert grooves
- Please allow an extra week for delivery.




### MODELS WITH INTERIOR PROFILE

**0**



Model **7740**  
Color: F43W




Model **7940**  
Color: F20W

|                  | Minimum sizes                                                |                                                              |                            |                                                            |
|------------------|--------------------------------------------------------------|--------------------------------------------------------------|----------------------------|------------------------------------------------------------|
|                  | DOORS                                                        |                                                              | DRAWER FRONTS              |                                                            |
| Stiles and rails | 2 $\frac{7}{8}$ "                                            | 2 $\frac{3}{8}$ "                                            | 2"                         | 1 $\frac{3}{8}$ "                                          |
| Models           | <b>7740</b><br><b>7940</b>                                   | <b>7730</b><br><b>7930</b>                                   | <b>7720</b><br><b>7920</b> | <b>7710</b><br><b>7910</b>                                 |
| Minimum sizes    | 171.5 mm x 171.5 mm<br>6 $\frac{3}{4}$ " x 6 $\frac{3}{4}$ " | 146.1 mm x 146.1 mm<br>5 $\frac{3}{4}$ " x 5 $\frac{3}{4}$ " | 127 mm x 127 mm<br>5" x 5" | 95.3 mm x 95.3 mm<br>3 $\frac{3}{4}$ " x 3 $\frac{3}{4}$ " |

## MODELS WITH INTERIOR PROFILE

**1**







Door • Model **7741**



Door • Model **7731**




Drawer front • Model **7721**



Drawer front • Model **7711**

**Model 7741**  
Color: F43W







Door • Model **7941**



Door • Model **7931**



Drawer front • Model **7921**



Drawer front • Model **7911**


**Model 7941**  
Color: F20W

|                  | Minimum sizes                                                                            |                                                                                          |                                                                                          |                                                                                          |
|------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
|                  | DOORS                                                                                    |                                                                                          | DRAWER FRONTS                                                                            |                                                                                          |
| Stiles and rails | 2 <sup>7</sup> / <sub>8</sub> "                                                          | 2 <sup>3</sup> / <sub>8</sub> "                                                          | 2"                                                                                       | 1 <sup>3</sup> / <sub>8</sub> "                                                          |
| Models           | <b>7741</b><br><b>7941</b>                                                               | <b>7731</b><br><b>7931</b>                                                               | <b>7721</b><br><b>7921</b>                                                               | <b>7711</b><br><b>7911</b>                                                               |
| Minimum sizes    | 219.1 mm x 219.1 mm<br>8 <sup>5</sup> / <sub>8</sub> " x 8 <sup>5</sup> / <sub>8</sub> " | 193.7 mm x 193.7 mm<br>7 <sup>5</sup> / <sub>8</sub> " x 7 <sup>5</sup> / <sub>8</sub> " | 174.6 mm x 174.6 mm<br>6 <sup>7</sup> / <sub>8</sub> " x 6 <sup>7</sup> / <sub>8</sub> " | 136.5 mm x 136.5 mm<br>5 <sup>3</sup> / <sub>8</sub> " x 5 <sup>3</sup> / <sub>8</sub> " |

## MODELS WITH INTERIOR PROFILE

**2**







Door • Model **7742**



Door • Model **7732**



Door • Model **7722**



Drawer front • Model **7712**

**Model 7742**  
Color: F43W







Door • Model **7942**



Door • Model **7932**



Drawer front • Model **7922**



Drawer front • Model **7912**

**Model 7942**  
Color: F20W

|                  | Minimum sizes                                                                              |                                                                                            |                                                                                            |                                                                                          |
|------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
|                  | DOORS                                                                                      |                                                                                            | DRAWER FRONTS                                                                              |                                                                                          |
| Stiles and rails | 2 <sup>7</sup> / <sub>8</sub> "                                                            | 2 <sup>3</sup> / <sub>8</sub> "                                                            | 2"                                                                                         | 1 <sup>3</sup> / <sub>8</sub> "                                                          |
| Models           | <b>7742</b><br><b>7942</b>                                                                 | <b>7732</b><br><b>7932</b>                                                                 | <b>7722</b><br><b>7922</b>                                                                 | <b>7712</b><br><b>7912</b>                                                               |
| Minimum sizes    | 232.9 mm x 232.9 mm<br>9 <sup>3</sup> / <sub>16</sub> " x 9 <sup>3</sup> / <sub>16</sub> " | 207.5 mm x 207.5 mm<br>8 <sup>3</sup> / <sub>16</sub> " x 8 <sup>3</sup> / <sub>16</sub> " | 188.5 mm x 188.5 mm<br>7 <sup>7</sup> / <sub>16</sub> " x 7 <sup>7</sup> / <sub>16</sub> " | 149.2 mm x 149.2 mm<br>5 <sup>7</sup> / <sub>8</sub> " x 5 <sup>7</sup> / <sub>8</sub> " |




## DOOR MODELS

SHAKER DOORS SERIES 51 . 52 . 61 . 62

## SERIES 51 Category 6

51 | Shaker cut



55 | Shaker cut with grooves

451/455

Regular rail

Reduced rail



Minimum sizes

DOORS AND DRAWERS (Height x Width)

| MODEL  | mm                                 | inches                                |
|--------|------------------------------------|---------------------------------------|
| 151/55 | 146.0 x 146.0                      | 5 3/4 x 5 3/4                         |
| 251/55 | 161.0 x 146.0                      | 6 11/32 x 5 3/4                       |
| 351/55 | 186.0 x 200.6                      | 6 11/32 x 7 29/32                     |
| 451/55 | $((W \div 2) + 99.5) \times 146.0$ | $((W \div 2) + 3 15/16) \times 5 3/4$ |

REDUCED DRAWER FRONTS (Height x Width)


| MODEL     | mm                                 | inches                               |
|-----------|------------------------------------|--------------------------------------|
| 151/55red | 76.2 x 146.0                       | 3 x 5 3/4                            |
| 251/55red | 91.2 x 146.0                       | 3 19/32 x 5 3/4                      |
| 351/55red | 116.2 x 200.6                      | 4 9/16 x 7 7/8                       |
| 451/55red | $((W \div 2) + 29.7) \times 146.0$ | $((W \div 2) + 1 5/32) \times 5 3/4$ |

red = reduced

W = width

Default exterior profile: Y

Series 51 and 55 drawer fronts come standard with full top and bottom rails. If reduced rail drawer fronts are required, it must be specified when placing your order.



55

Category 6

Model 151


Color: R205W

Model 155

Color: R205W

## SERIES 52 Category 6

52 | Shaker cut



56 | Shaker cut with grooves

452/456

Regular rail

Reduced rail



Minimum sizes

DOORS AND DRAWERS (Height x Width)

| MODEL  | mm                                 | inches                                |
|--------|------------------------------------|---------------------------------------|
| 152/56 | 146.0 x 146.0                      | 5 3/4 x 5 3/4                         |
| 252/56 | 161.0 x 146.0                      | 6 11/32 x 5 3/4                       |
| 352/56 | 186.0 x 200.6                      | 6 11/32 x 7 7/8                       |
| 452/56 | $((W \div 2) + 99.5) \times 146.0$ | $((W \div 2) + 3 29/32) \times 5 3/4$ |

REDUCED DRAWER FRONTS (Height x Width)


| MODEL     | mm                                 | inches                               |
|-----------|------------------------------------|--------------------------------------|
| 152/56red | 76.2 x 146.0                       | 3 x 5 3/4                            |
| 252/56red | 91.2 x 146.0                       | 3 19/32 x 5 3/4                      |
| 352/56red | 116.2 x 200.6                      | 4 9/16 x 7 7/8                       |
| 452/56red | $((W \div 2) + 29.7) \times 146.0$ | $((W \div 2) + 1 5/32) \times 5 3/4$ |

red = reduced

W = width

Default exterior profile: Y

Series 52 and 56 drawer fronts come standard with full top and bottom rails. If reduced rail drawer fronts are required, it must be specified when placing your order.



56

Category 6

Model 152

Color: R207W

Model 156

Color: R207W




## STANDARD FEATURES

- White melamine back
- Shaker drawer fronts are manufactured with regular rails unless reduced rails specified
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### SERIES 61 Category 6

#### 61 | Shaker cut



#### 65 | Shaker cut with grooves

Regular rail

Reduced rail



#### Minimum sizes

#### DOORS AND DRAWERS (Height x Width)

| MODEL  | mm                                  | inches                           |
|--------|-------------------------------------|----------------------------------|
| 161/65 | 177.8 x 177.8                       | 7 x 7                            |
| 261/65 | 192.8 x 177.8                       | 7 19/32 x 7                      |
| 361/65 | 217.8 x 232.4                       | 8 19/32 x 9 5/32                 |
| 461/65 | $((W \div 2) + 115.4) \times 177.8$ | $((W \div 2) + 4 9/16) \times 7$ |

#### REDUCED DRAWER FRONTS (Height x Width)


| MODEL     | mm                                 | inches                         |
|-----------|------------------------------------|--------------------------------|
| 161/65red | 76.2 x 177.8                       | 3 x 7                          |
| 261/65red | 91.2 x 177.8                       | 3 19/32 x 7                    |
| 361/65red | 116.2 x 232.4                      | 4 19/32 x 9 5/32               |
| 461/65red | $((W \div 2) + 13.8) \times 177.8$ | $((W \div 2) + 9/16) \times 7$ |

red = reduced

W = width

Default exterior profile: Y

Series 61 and 65 drawer fronts come standard with full top and bottom rails. If reduced rail drawer fronts are required, it must be specified when placing your order.



65


Category 6

Model **161**  
Color: R205W

Model **165**  
Color: R205W

### SERIES 62 Category 6

#### 62 | Shaker cut



#### 66 | Shaker cut with grooves

Regular rail

Reduced rail



#### Minimum sizes

#### DOORS AND DRAWERS (Height x Width)

| MODEL  | mm                                  | inches                           |
|--------|-------------------------------------|----------------------------------|
| 162/66 | 177.8 x 177.8                       | 7 x 7                            |
| 262/66 | 192.8 x 177.8                       | 7 19/32 x 7                      |
| 362/66 | 217.8 x 232.4                       | 8 19/32 x 9 5/32                 |
| 462/66 | $((W \div 2) + 115.4) \times 177.8$ | $((W \div 2) + 4 9/16) \times 7$ |

#### REDUCED DRAWER FRONTS (Height x Width)


| MODEL     | mm                                 | inches                         |
|-----------|------------------------------------|--------------------------------|
| 162/66red | 76.2 x 177.8                       | 3 x 7                          |
| 262/66red | 91.2 x 177.8                       | 3 19/32 x 7                    |
| 362/66red | 116.2 x 232.4                      | 4 19/32 x 9 5/32               |
| 462/66red | $((W \div 2) + 13.8) \times 177.8$ | $((W \div 2) + 9/16) \times 7$ |

red = reduced

W = width

Default exterior profile: Y

Series 62 and 66 drawer fronts come standard with full top and bottom rails. If reduced rail drawer fronts are required, it must be specified when placing your order.



66

Category 6


Model **162**  
Color: R207W

Model **166**  
Color: R207W

## DOOR MODELS

SPECIAL MODELS SERIES 928 . 942 . 943 . 944

## MODEL 928 Premium



Minimum sizes

DOORS (Height x Width)

| MODEL | mm           | inches                                                            |
|-------|--------------|-------------------------------------------------------------------|
| 928   | 96.0 x 196.0 | 7 <sup>23</sup> / <sub>32</sub> x 7 <sup>23</sup> / <sub>32</sub> |

DRAWER fronts (Height x Width)


| MODEL | mm            | inches                                                          |
|-------|---------------|-----------------------------------------------------------------|
| 928   | 146.0 x 196.0 | 5 <sup>3</sup> / <sub>4</sub> x 7 <sup>23</sup> / <sub>32</sub> |

NOTE: No groove for retainer on mullion door.  
Default exterior profile: C

Model 928

Color: R205W

## MODEL 942 Category 6



Regular rail



Reduced rail



Minimum sizes

DOORS AND DRAWERS (Height x Width)

| MODEL | mm            | inches                                                        |
|-------|---------------|---------------------------------------------------------------|
| 942   | 146.0 x 146.0 | 5 <sup>3</sup> / <sub>4</sub> x 5 <sup>3</sup> / <sub>4</sub> |

REDUCED DRAWER FRONTS (Height x Width)

| MODEL  | mm           | inches                            |
|--------|--------------|-----------------------------------|
| 942red | 76.2 x 146.0 | 3 x 5 <sup>3</sup> / <sub>4</sub> |

red = reduced

Default exterior profile: W

Series 942 drawer fronts come standard with full top and bottom rails. If reduced rail drawer fronts are required, it must be specified when placing your order.

Model 942


Color: R205W

## STANDARD FEATURES

- White melamine back
- Drawer fronts are manufactured with reduced rails (except 942 series)
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### MODEL 943 | Premium



Minimum sizes

#### DOORS (Height x Width)

| MODEL | mm            | inches                                                            |
|-------|---------------|-------------------------------------------------------------------|
| 943   | 176.2 x 176.2 | 6 <sup>15</sup> / <sub>16</sub> x 6 <sup>15</sup> / <sub>16</sub> |

#### DRAWER fronts (Height x Width)


| MODEL | mm            | inches                                                            |
|-------|---------------|-------------------------------------------------------------------|
| 943   | 126.2 x 176.2 | 4 <sup>31</sup> / <sub>32</sub> x 6 <sup>15</sup> / <sub>16</sub> |

Default exterior profile: C

Model **943**

Color: R204W

### MODEL 944 | Premium



Minimum sizes

#### DOORS (Height x Width)

| MODEL | mm            | inches                                                            |
|-------|---------------|-------------------------------------------------------------------|
| 944   | 176.2 x 176.2 | 6 <sup>15</sup> / <sub>16</sub> x 6 <sup>15</sup> / <sub>16</sub> |

#### DRAWER fronts (Height x Width)

| MODEL | mm            | inches                                                            |
|-------|---------------|-------------------------------------------------------------------|
| 944   | 126.2 x 176.2 | 4 <sup>31</sup> / <sub>32</sub> x 6 <sup>15</sup> / <sub>16</sub> |

Default exterior profile: C


Model **944**

Color: R204W

## DOOR MODELS

SPECIAL MODELS SERIES 164 . 167

## MODEL 164 | Category 4



Regular rail



Reduced rail



Minimum sizes

DOORS AND DRAWERS (Height x Width)

| MODEL | mm            | inches |
|-------|---------------|--------|
| 164   | 177.8 x 177.8 | 7 x 7  |

REDUCED DRAWER FRONTS (Height x Width)

| MODEL   | mm           | inches |
|---------|--------------|--------|
| 164 red | 76.2 x 177.8 | 3 x 7  |

red = reduced

Default exterior profile: Y


Model 164 drawer fronts come standard with full top and bottom rails.

If reduced rail drawer fronts are required, it must be specified when placing your order.

Model 164

Color: R207W

## MODEL 764 | Category 5



Regular rail



Reduced rail



Minimum sizes

DOORS AND DRAWERS (Height x Width)

| MODEL | mm            | inches |
|-------|---------------|--------|
| 764   | 177.8 x 177.8 | 7 x 7  |

REDUCED DRAWER FRONTS (Height x Width)

| MODEL   | mm           | inches |
|---------|--------------|--------|
| 764 red | 76.2 x 177.8 | 3 x 7  |

red = reduced

Default exterior profile Y

Model 764 drawer fronts come standard with full top and bottom rails.

If reduced rail drawer fronts are required, it must be specified when placing your order.

Model 764


Color: P340W

## STANDARD FEATURES

- White melamine back
- Drawer fronts are manufactured with regular rails (unless reduced rails specified)
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### MODEL 167 | Category 4



Regular rail



Reduced rail



#### Minimum sizes

#### DOORS AND DRAWERS (Height x Width)

| MODEL | mm            | inches        |
|-------|---------------|---------------|
| 167   | 158.0 x 158.0 | 6 1/4 x 6 1/4 |

#### REDUCED DRAWER FRONTS (Height x Width)

| MODEL  | mm           | inches    |
|--------|--------------|-----------|
| 167red | 76.2 x 158.0 | 3 x 6 1/4 |

red = reduced

Default exterior profile: Y


Model 167 drawer fronts come standard with full top and bottom rails.

If reduced rail drawer fronts are required, it must be specified when placing your order.

#### Model 167

Color: R207W

### MODEL 767 | Category 5



Regular rail



Reduced rail



#### Minimum sizes

#### DOORS AND DRAWERS (Height x Width)

| MODEL | mm            | inches        |
|-------|---------------|---------------|
| 767   | 158.0 x 158.0 | 6 1/4 x 6 1/4 |

#### REDUCED DRAWER FRONTS (Height x Width)

| MODEL  | mm           | inches    |
|--------|--------------|-----------|
| 767red | 76.2 x 158.0 | 3 x 6 1/4 |

red = reduced

Default exterior profile: Y

Model 767 drawer fronts come standard with full top and bottom rails.

If reduced rail drawer fronts are required, it must be specified when placing your order.

#### Model 767


Color: P340W




## DOOR MODELS

REGULAR MODELS SERIES 70 . 76 . 83 . 85

## SERIES 83 | Category 6




Model 183, a "true square corner" door (chiselled corners). Model 193, same interior profile as model 183 except the inside bead has a slight radius (not a "true square corner" door).




Model 183  
Color: R207W



## SERIES 85 | Category 6



Model 185, a "true square corner" door (chiselled corners). Model 195, same interior profile as model 185 except the inside bead has a slight radius (not a "true square corner" door).



Model 185  
Color: C92W



\* Option: compatible melamine back details on pages 46-47.

## Minimum sizes

## DOORS (Height x Width)

| MODEL     | mm                      | inches                                                                      |
|-----------|-------------------------|-----------------------------------------------------------------------------|
| 183 / 193 | 201.5 x 201.5           | 7 <sup>15</sup> / <sub>16</sub> x 7 <sup>15</sup> / <sub>16</sub>           |
| 283 / 293 | 216.5 x 201.5           | 8 <sup>17</sup> / <sub>32</sub> x 7 <sup>15</sup> / <sub>16</sub>           |
| 383 / 393 | 241.5 x 230.8           | 9 <sup>17</sup> / <sub>32</sub> x 9 <sup>3</sup> / <sub>32</sub>            |
| 483 / 493 | ((W÷2) + 112.5) x 201.5 | ((W÷2) + 4 <sup>7</sup> / <sub>16</sub> ) x 7 <sup>15</sup> / <sub>16</sub> |

## DRAWER fronts (Height x Width)

| MODEL     | mm                     | inches                                                                       |
|-----------|------------------------|------------------------------------------------------------------------------|
| 183 / 193 | 138.3 x 201.5          | 5 <sup>15</sup> / <sub>32</sub> x 7 <sup>15</sup> / <sub>16</sub>            |
| 283 / 293 | 153.3 x 201.5          | 6 <sup>1</sup> / <sub>16</sub> x 7 <sup>15</sup> / <sub>16</sub>             |
| 383 / 393 | 178.3 x 230.8          | 7 <sup>1</sup> / <sub>32</sub> x 9 <sup>3</sup> / <sub>32</sub>              |
| 483 / 493 | ((W÷2) + 49.3) x 201.5 | ((W÷2) + 1 <sup>31</sup> / <sub>32</sub> ) x 7 <sup>15</sup> / <sub>16</sub> |

W = width

Default exterior profile: C



93  
Category 5

Model 193  
Color: R207W

## Minimum sizes

## DOORS (Height x Width)

| MODEL     | mm                      | inches                                                                     |
|-----------|-------------------------|----------------------------------------------------------------------------|
| 185 / 195 | 212.4 x 212.4           | 8 <sup>3</sup> / <sub>8</sub> x 8 <sup>3</sup> / <sub>8</sub>              |
| 285 / 295 | 227.4 x 212.4           | 8 <sup>31</sup> / <sub>32</sub> x 8 <sup>3</sup> / <sub>8</sub>            |
| 385 / 395 | 252.4 x 250.8           | 9 <sup>15</sup> / <sub>16</sub> x 9 <sup>7</sup> / <sub>8</sub>            |
| 485 / 495 | ((W÷2) + 117.5) x 212.4 | ((W÷2) + 4 <sup>21</sup> / <sub>32</sub> ) x 8 <sup>3</sup> / <sub>8</sub> |

## DRAWER fronts (Height x Width)

| MODEL     | mm                     | inches                                                                    |
|-----------|------------------------|---------------------------------------------------------------------------|
| 185 / 195 | 149.2 x 212.4          | 5 <sup>7</sup> / <sub>8</sub> x 8 <sup>3</sup> / <sub>8</sub>             |
| 285 / 295 | 164.2 x 212.4          | 6 <sup>15</sup> / <sub>32</sub> x 8 <sup>3</sup> / <sub>8</sub>           |
| 385 / 395 | 189.2 x 250.8          | 7 <sup>15</sup> / <sub>32</sub> x 9 <sup>7</sup> / <sub>8</sub>           |
| 485 / 495 | ((W÷2) + 54.3) x 212.4 | ((W÷2) + 2 <sup>5</sup> / <sub>32</sub> ) x 8 <sup>3</sup> / <sub>8</sub> |

W = width

Default exterior profile: C



95  
Category 5

Model 195  
Color: C92W


## STANDARD FEATURES

- White melamine back
- Drawer fronts are manufactured with reduced rails (except 70 series)
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### SERIES 70 Category 6

(Pro-teint 10000)



Regular rail

Reduced rail



Minimum sizes

#### DOORS AND DRAWERS (Height x Width)

| MODEL | mm                                | inches                                                            |
|-------|-----------------------------------|-------------------------------------------------------------------|
| 170   | 146.0 x 146.0                     | 5 <sup>3</sup> / <sub>4</sub> x 5 <sup>3</sup> / <sub>4</sub>     |
| 270   | 161.0 x 146.0                     | 6 <sup>11</sup> / <sub>32</sub> x 5 <sup>3</sup> / <sub>4</sub>   |
| 370   | 186.0 x 200.6                     | 7 <sup>11</sup> / <sub>32</sub> x 7 <sup>29</sup> / <sub>32</sub> |
| 470   | $((W \pm 2) + 99.5) \times 146.0$ | $((W \pm 2) + 3 \frac{31}{32}) \times 5 \frac{3}{4}$              |

#### DRAWER FRONTS with reduced rails (Height x Width)

| MODEL | mm                                | inches                                                          |
|-------|-----------------------------------|-----------------------------------------------------------------|
| 170   | 76.2 x 146.0                      | 3 x 5 <sup>3</sup> / <sub>4</sub>                               |
| 270   | 91.2 x 146.0                      | 3 <sup>19</sup> / <sub>32</sub> x 5 <sup>3</sup> / <sub>4</sub> |
| 370   | 116.2 x 200.6                     | 4 <sup>9</sup> / <sub>16</sub> x 7 <sup>7</sup> / <sub>8</sub>  |
| 470   | $((W \pm 2) + 29.7) \times 146.0$ | $((W \pm 2) + 3 \frac{3}{16}) \times 5 \frac{3}{4}$             |

W = width

Default exterior profile: B

Series 70 drawer fronts come standard with full top and bottom rails.


If reduced rail drawer fronts are required, it must be specified when placing your order.

Model **170**

Color: C92W

### SERIES 76 Category 4

(Pro-teint 22100)



Reduced rail



Minimum sizes

#### DOORS AND DRAWERS (Height x Width)

| MODEL | mm                                | inches                                                            |
|-------|-----------------------------------|-------------------------------------------------------------------|
| 176   | 216.1 x 216.1                     | 8 <sup>17</sup> / <sub>32</sub> x 8 <sup>17</sup> / <sub>32</sub> |
| 276   | 231.1 x 216.1                     | 9 <sup>1</sup> / <sub>8</sub> x 8 <sup>17</sup> / <sub>32</sub>   |
| 376   | 256.1 x 216.1                     | 10 <sup>3</sup> / <sub>32</sub> x 8 <sup>17</sup> / <sub>32</sub> |
| 476   | $((W \pm 2) + 87.7) \times 216.1$ | $((W \pm 2) + 3 \frac{15}{32}) \times 8 \frac{17}{32}$            |

#### DRAWER FRONTS with reduced rails (Height x Width)

| MODEL | mm                                | inches                                                            |
|-------|-----------------------------------|-------------------------------------------------------------------|
| 176   | 149.2 x 216.1                     | 5 <sup>7</sup> / <sub>8</sub> x 8 <sup>17</sup> / <sub>32</sub>   |
| 276   | 164.2 x 216.1                     | 6 <sup>15</sup> / <sub>32</sub> x 8 <sup>17</sup> / <sub>32</sub> |
| 376   | 189.2 x 216.1                     | 7 <sup>15</sup> / <sub>32</sub> x 8 <sup>17</sup> / <sub>32</sub> |
| 476   | $((W \pm 2) + 20.9) \times 216.1$ | $((W \pm 2) + \frac{27}{32}) \times 8 \frac{17}{32}$              |

W = width

Default exterior profile: B

Model **176**


Color: R207W



## DOOR MODELS

SHAKER DOORS SERIES 71 . 72 . 77 . 78

## SERIES 71 Category 6




Regular rail

Reduced rail



## SERIES 72 Category 6



Regular rail

Reduced rail



\* Option: compatible melamine back details on pages 46-47.

## Minimum sizes

## DOORS AND DRAWERS (Height x Width)

| MODEL | mm                     | inches                                                                   |
|-------|------------------------|--------------------------------------------------------------------------|
| 171   | 161.6 x 161.6          | 6 <sup>3</sup> / <sub>8</sub> x 6 <sup>3</sup> / <sub>8</sub>            |
| 271   | 176.6 x 161.6          | 6 <sup>31</sup> / <sub>32</sub> x 6 <sup>3</sup> / <sub>8</sub>          |
| 371   | 201.6 x 201.8          | 7 <sup>15</sup> / <sub>16</sub> x 7 <sup>31</sup> / <sub>32</sub>        |
| 471   | ((W÷2) + 82.5) x 161.6 | ((W÷2) + 3 <sup>1</sup> / <sub>4</sub> ) x 6 <sup>3</sup> / <sub>8</sub> |

## DRAWER FRONTS with reduced rails (Height x Width)

| MODEL  | mm                    | inches                                                                  |
|--------|-----------------------|-------------------------------------------------------------------------|
| 171red | 83.0 x 161.6          | 3 <sup>9</sup> / <sub>32</sub> x 6 <sup>3</sup> / <sub>8</sub>          |
| 271red | 98.0 x 161.6          | 3 <sup>7</sup> / <sub>8</sub> x 6 <sup>3</sup> / <sub>8</sub>           |
| 371red | 123.0 x 201.8         | 4 <sup>27</sup> / <sub>32</sub> x 7 <sup>31</sup> / <sub>32</sub>       |
| 471red | ((W÷2) + 3.9) x 161.6 | ((W÷2) + <sup>5</sup> / <sub>32</sub> ) x 6 <sup>3</sup> / <sub>8</sub> |

W = width

Default exterior profile: B

Serie 03 interior profile

Series 71 drawer fronts come standard with full top and bottom rails.

If reduced rail drawer fronts are required, it must be specified when placing your order.

Model **171**

Color: R205W

## Minimum sizes

## DOORS AND DRAWERS (Height x Width)

| MODEL | mm                     | inches                                                                     |
|-------|------------------------|----------------------------------------------------------------------------|
| 172   | 155.3 x 155.3          | 6 <sup>1</sup> / <sub>8</sub> x 6 <sup>1</sup> / <sub>8</sub>              |
| 272   | 170.3 x 155.3          | 6 <sup>23</sup> / <sub>32</sub> x 6 <sup>1</sup> / <sub>8</sub>            |
| 372   | 195.3 x 193.9          | 7 <sup>23</sup> / <sub>32</sub> x 7 <sup>21</sup> / <sub>32</sub>          |
| 472   | ((W÷2) + 71.8) x 155.3 | ((W÷2) + 2 <sup>27</sup> / <sub>32</sub> ) x 6 <sup>1</sup> / <sub>8</sub> |

## DRAWER FRONTS with reduced rails (Height x Width)

| MODEL  | mm                    | inches                                                                  |
|--------|-----------------------|-------------------------------------------------------------------------|
| 172red | 91.3 x 155.3          | 3 <sup>5</sup> / <sub>8</sub> x 6 <sup>1</sup> / <sub>8</sub>           |
| 272red | 106.3 x 155.3         | 4 <sup>3</sup> / <sub>16</sub> x 6 <sup>1</sup> / <sub>8</sub>          |
| 372red | 131.3 x 193.9         | 5 <sup>3</sup> / <sub>16</sub> x 7 <sup>21</sup> / <sub>32</sub>        |
| 472red | ((W÷2) + 7.8) x 155.3 | ((W÷2) + <sup>5</sup> / <sub>16</sub> ) x 6 <sup>1</sup> / <sub>8</sub> |

W = width

Default exterior profile: B

Serie 09 interior profile

Series 72 drawer fronts come standard with full top and bottom rails.

If reduced rail drawer fronts are required, it must be specified when placing your order.

Model **172**



Color: C92W

## STANDARD FEATURES

- White melamine back
- Drawer fronts are manufactured with regular rails (unless reduced rails specified)
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### SERIES 77 | Category 6



Regular rail



Reduced rail



#### Minimum sizes

#### DOORS AND DRAWERS (Height x Width)

| MODEL | mm                                  | inches                                |
|-------|-------------------------------------|---------------------------------------|
| 177   | 179.8 x 179.8                       | 7 3/32 x 7 3/32                       |
| 277   | 194.8 x 179.8                       | 7 11/16 x 7 3/32                      |
| 377   | 219.8 x 214.8                       | 8 21/32 x 8 15/32                     |
| 477   | $((W \div 2) + 112.5) \times 179.8$ | $((W \div 2) + 4 7/16) \times 7 3/32$ |

#### DRAWER FRONTS with reduced rails (Height x Width)

| MODEL  | mm                                 | inches                                 |
|--------|------------------------------------|----------------------------------------|
| 177red | 116.6 x 179.8                      | 4 19/32 x 7 3/32                       |
| 277red | 131.6 x 179.8                      | 5 3/16 x 7 3/32                        |
| 377red | 156.6 x 214.8                      | 6 3/16 x 8 15/32                       |
| 477red | $((W \div 2) + 49.3) \times 179.8$ | $((W \div 2) + 1 31/32) \times 7 3/32$ |

W = width

Default exterior profile: C

Serie 83 interior profile



Series 77 drawer fronts come standard with full top and bottom rails.

If reduced rail drawer fronts are required, it must be specified when placing your order.

Model **177**

Color: F20W

### SERIES 78 | Category 6



Regular rail



Reduced rail



#### Minimum sizes

#### DOORS AND DRAWERS (Height x Width)

| MODEL | mm                                  | inches                                |
|-------|-------------------------------------|---------------------------------------|
| 178   | 189.8 x 189.8                       | 7 1/2 x 7 1/2                         |
| 278   | 204.8 x 189.8                       | 8 3/32 x 7 1/2                        |
| 378   | 229.8 x 224.8                       | 9 1/16 x 8 7/8                        |
| 478   | $((W \div 2) + 117.5) \times 189.8$ | $((W \div 2) + 4 21/32) \times 7 1/2$ |

#### DRAWER FRONTS with reduced rails (Height x Width)

| MODEL  | mm                                 | inches                               |
|--------|------------------------------------|--------------------------------------|
| 178red | 126.6 x 189.8                      | 5 x 7 1/2                            |
| 278red | 141.6 x 189.8                      | 5 19/32 x 7 1/2                      |
| 378red | 166.6 x 224.8                      | 6 9/16 x 8 7/8                       |
| 478red | $((W \div 2) + 54.3) \times 189.8$ | $((W \div 2) + 2 5/32) \times 7 1/2$ |

W = width

Default exterior profile: C

Serie 85 interior profile

Series 78 drawer fronts come standard with full top and bottom rails.

If reduced rail drawer fronts are required, it must be specified when placing your order.



Model **178**

Color: R766W

## DOOR MODELS

REGULAR MODELS SERIES 03 . 06 . 27 . 33

## SERIES 03 Category 4



## Minimum sizes

## DOORS (Height x Width)

| MODEL | mm                                 | inches                              |
|-------|------------------------------------|-------------------------------------|
| 103   | 225.0 x 225.0                      | 8 7/8 x 8 7/8                       |
| 203   | 240.0 x 225.0                      | 9 15/32 x 8 7/8                     |
| 303   | 265.0 x 225.0                      | 10 7/16 x 8 7/8                     |
| 403   | $((W \div 2) + 82.5) \times 225.0$ | $((W \div 2) + 3 1/4) \times 8 7/8$ |

## DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                             |
|-------|-----------------------------------|------------------------------------|
| 103   | 146.4 x 225.0                     | 5 25/32 x 8 7/8                    |
| 203   | 161.4 x 225.0                     | 6 3/8 x 8 7/8                      |
| 303   | 186.4 x 225.0                     | 7 11/32 x 8 7/8                    |
| 403   | $((W \div 2) + 3.9) \times 225.0$ | $((W \div 2) + 5/32) \times 8 7/8$ |



W = width

Default exterior profile: B

Model 103

Color: R204W

## SERIES 27 Category 4



## Minimum sizes

## DOORS (Height x Width)

| MODEL | mm                                 | inches                                |
|-------|------------------------------------|---------------------------------------|
| 127   | 208.4 x 208.4                      | 8 7/32 x 8 7/32                       |
| 227   | 223.4 x 208.4                      | 8 13/16 x 8 7/32                      |
| 327   | 248.4 x 208.4                      | 9 25/32 x 8 7/32                      |
| 427   | $((W \div 2) + 81.2) \times 208.4$ | $((W \div 2) + 3 7/32) \times 8 7/32$ |

## DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                             |
|-------|-----------------------------------|------------------------------------|
| 127   | 129.8 x 208.4                     | 5 1/8 x 8 7/32                     |
| 227   | 144.8 x 208.4                     | 5 23/32 x 8 7/32                   |
| 327   | 169.8 x 208.4                     | 6 11/16 x 8 7/32                   |
| 427   | $((W \div 2) + 2.6) \times 208.4$ | $((W \div 2) + 1/8) \times 8 7/32$ |

W = width

Default exterior profile: A

Model 127



Color: R205W

## STANDARD FEATURES

- White melamine back
- Drawer fronts are manufactured with reduced rails
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### SERIES 33 Category 3



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                                 | inches                              |
|-------|------------------------------------|-------------------------------------|
| 133   | 225.0 x 225.0                      | 8 7/8 x 8 7/8                       |
| 233   | 240.0 x 225.0                      | 9 15/32 x 8 7/8                     |
| 333   | 265.0 x 225.0                      | 10 7/16 x 8 7/8                     |
| 433   | $((W \div 2) + 82.5) \times 225.0$ | $((W \div 2) + 3 1/4) \times 8 7/8$ |

##### DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                             |
|-------|-----------------------------------|------------------------------------|
| 133   | 146.4 x 225.0                     | 5 25/32 x 8 7/8                    |
| 233   | 161.4 x 225.0                     | 6 3/8 x 8 7/8                      |
| 333   | 186.4 x 225.0                     | 7 11/32 x 8 7/8                    |
| 433   | $((W \div 2) + 3.9) \times 225.0$ | $((W \div 2) + 5/32) \times 8 7/8$ |



W = width

Default exterior profile: A

Model **133**

Color: R204W

### SERIES 06 Category 3



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                                 | inches                               |
|-------|------------------------------------|--------------------------------------|
| 106   | 180.2 x 180.2                      | 7 1/8 x 7 1/8                        |
| 206   | 195.2 x 180.2                      | 7 11/16 x 7 1/8                      |
| 306   | 220.2 x 180.2                      | 8 11/16 x 7 1/8                      |
| 406   | $((W \div 2) + 81.5) \times 180.2$ | $((W \div 2) + 3 7/32) \times 7 1/8$ |

##### DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                             |
|-------|-----------------------------------|------------------------------------|
| 106   | 101.6 x 180.2                     | 4 x 7 3/32                         |
| 206   | 116.6 x 180.2                     | 4 19/32 x 7 3/32                   |
| 306   | 141.6 x 180.2                     | 5 19/32 x 7 3/32                   |
| 406   | $((W \div 2) + 2.9) \times 180.2$ | $((W \div 2) + 1/8) \times 7 3/32$ |

W = width

Default exterior profile: B


Model **106**

Color: R205W


## DOOR MODELS

REGULAR MODELS SERIES 07 . 46 . 86 . 87

## SERIES 86 | Category 6




Model 186, a "true square corner" door (chiselled corners).  
Model 196, same interior profile as model 186 except the inside bead has a slight radius (not a "true square corner" door).




Model **186**  
Color: C92W



## SERIES 87 | Category 6



Model 187, a "true square corner" door (chiselled corners).  
Model 197, same interior profile as model 187 except the inside bead has a slight radius (not a "true square corner" door).



Model **187**  
Color: R204W



\* Option: compatible melamine back details on pages 46-47.

## Minimum sizes

## DOORS (Height x Width)

| MODEL     | mm                                  | inches                                |
|-----------|-------------------------------------|---------------------------------------|
| 186 / 196 | 237.4 x 237.4                       | 9 3/8 x 9 3/8                         |
| 286 / 296 | 252.4 x 237.4                       | 9 15/16 x 9 3/8                       |
| 386 / 396 | 277.4 x 250.8                       | 10 15/16 x 9 7/8                      |
| 486 / 496 | $((W \div 2) + 117.5) \times 237.4$ | $((W \div 2) + 4 21/32) \times 9 3/8$ |

## DRAWER fronts (Height x Width)

| MODEL     | mm                                 | inches                               |
|-----------|------------------------------------|--------------------------------------|
| 186 / 196 | 174.2 x 237.4                      | 6 7/8 x 9 3/8                        |
| 286 / 296 | 189.2 x 237.4                      | 7 15/32 x 9 3/8                      |
| 386 / 396 | 214.2 x 250.8                      | 8 7/16 x 9 7/8                       |
| 486 / 496 | $((W \div 2) + 54.3) \times 237.4$ | $((W \div 2) + 2 5/32) \times 9 3/8$ |

W = width

Default exterior profile: C



**96**  
Category 5

Model **196**  
Color: C92W

## Minimum sizes

## DOORS (Height x Width)

| MODEL     | mm                                  | inches                                 |
|-----------|-------------------------------------|----------------------------------------|
| 187 / 197 | 227.4 x 227.4                       | 8 31/32 x 8 31/32                      |
| 287 / 297 | 242.4 x 227.4                       | 9 9/16 x 8 31/32                       |
| 387 / 397 | 267.4 x 230.8                       | 10 17/32 x 9 3/32                      |
| 487 / 497 | $((W \div 2) + 112.5) \times 227.4$ | $((W \div 2) + 4 7/16) \times 8 31/32$ |

## DRAWER fronts (Height x Width)

| MODEL     | mm                                 | inches                                  |
|-----------|------------------------------------|-----------------------------------------|
| 187 / 197 | 164.2 x 227.4                      | 6 15/32 x 8 31/32                       |
| 287 / 297 | 179.2 x 227.4                      | 7 1/16 x 8 31/32                        |
| 387 / 397 | 204.2 x 230.8                      | 8 1/16 x 9 3/32                         |
| 487 / 497 | $((W \div 2) + 49.3) \times 227.4$ | $((W \div 2) + 1 31/32) \times 8 31/32$ |

W = width

Default exterior profile: C



**97**  
Category 5

Model **197**  
Color: R204W





## STANDARD FEATURES

- White melamine back
- Drawer fronts are manufactured with reduced rails
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### SERIES 07 Category 5



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                                 | inches                                |
|-------|------------------------------------|---------------------------------------|
| 107   | 235.0 x 235.0                      | 9 9/32 x 9 9/32                       |
| 207   | 250.0 x 235.0                      | 9 27/32 x 9 9/32                      |
| 307   | 275.0 x 235.0                      | 10 27/32 x 9 9/32                     |
| 407   | $((W \div 2) + 86.8) \times 235.0$ | $((W \div 2) + 3 7/16) \times 9 9/32$ |

##### DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                                |
|-------|-----------------------------------|---------------------------------------|
| 107   | 156.4 x 235.0                     | 6 3/16 x 9 9/32                       |
| 207   | 171.4 x 235.0                     | 6 3/4 x 9 9/32                        |
| 307   | 196.4 x 235.0                     | 7 3/4 x 9 9/32                        |
| 407   | $((W \div 2) + 8.2) \times 235.0$ | $((W \div 2) + 1 1/32) \times 9 9/32$ |



W = width

Default exterior profile: B

Model **107**

Color: R204W

### SERIES 46 Category 3



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                                 | inches                                |
|-------|------------------------------------|---------------------------------------|
| 146   | 234.4 x 234.4                      | 9 1/4 x 9 1/4                         |
| 246   | 254.4 x 234.4                      | 10 1/32 x 9 1/4                       |
| 346   | 284.4 x 234.4                      | 11 7/32 x 9 1/4                       |
| 446   | $((W \div 2) + 86.5) \times 234.4$ | $((W \div 2) + 3 13/32) \times 9 1/4$ |

##### DRAWER fronts (Height x Width)

| MODEL | mm                                 | inches                              |
|-------|------------------------------------|-------------------------------------|
| 146   | 165.8 x 234.4                      | 6 17/32 x 9 1/4                     |
| 246   | 185.8 x 234.4                      | 7 11/32 x 9 1/4                     |
| 346   | 215.8 x 234.4                      | 8 1/2 x 9 1/4                       |
| 446   | $((W \div 2) + 17.9) \times 234.4$ | $((W \div 2) + 23/32) \times 9 1/4$ |

W = width

Default exterior profile: C

Model **146**


Color: C92W




## DOOR MODELS

REGULAR MODELS SERIES 48 . 49 . 88 . 89

## SERIES 88 | Category 6




Model 188, a "true square corner" door (chiselled corners).  
Model 198, same interior profile as model 188 except the inside bead has a slight radius (not a "true square corner" door).




Model **188**  
Color: R207W



## SERIES 89 | Category 6



Model 189, a "true square corner" door (chiselled corners).  
Model 199, same interior profile as model 189 except the inside bead has a slight radius (not a "true square corner" door).



Model **189**  
Color: R205W



\* Option: compatible melamine back details on pages 46-47.

## Minimum sizes

## DOORS (Height x Width)

| MODEL     | mm                                  | inches                                                  |
|-----------|-------------------------------------|---------------------------------------------------------|
| 188 / 198 | 214.9 x 214.9                       | 8 15/32 x 8 15/32                                       |
| 288 / 298 | 229.9 x 214.9                       | 9 1/16 x 8 15/32                                        |
| 388 / 398 | 254.9 x 250.8                       | 10 1/16 x 9 7/8                                         |
| 488 / 498 | $((W \div 2) + 117.5) \times 214.9$ | $((W \div 2) + 4 \frac{21}{32}) \times 8 \frac{15}{32}$ |

## DRAWER fronts (Height x Width)

| MODEL     | mm                                 | inches                                                 |
|-----------|------------------------------------|--------------------------------------------------------|
| 188 / 198 | 151.7 x 214.9                      | 6 x 8 15/32                                            |
| 288 / 298 | 166.7 x 214.9                      | 6 9/32 x 8 15/32                                       |
| 388 / 398 | 191.7 x 250.8                      | 7 9/16 x 9 7/8                                         |
| 488 / 498 | $((W \div 2) + 54.3) \times 214.9$ | $((W \div 2) + 2 \frac{5}{32}) \times 8 \frac{15}{32}$ |

W = width

Default exterior profile: C



98

Category 5

Model **198**  
Color: R207W

## Minimum sizes

## DOORS (Height x Width)

| MODEL     | mm                                  | inches                                                |
|-----------|-------------------------------------|-------------------------------------------------------|
| 189 / 199 | 204.4 x 204.4                       | 8 1/16 x 8 1/16                                       |
| 289 / 299 | 219.4 x 204.4                       | 8 21/32 x 8 1/16                                      |
| 389 / 399 | 244.4 x 230.8                       | 9 5/8 x 9 3/16                                        |
| 489 / 499 | $((W \div 2) + 112.5) \times 204.4$ | $((W \div 2) + 4 \frac{7}{16}) \times 8 \frac{1}{16}$ |

## DRAWER fronts (Height x Width)

| MODEL     | mm                                 | inches                                                 |
|-----------|------------------------------------|--------------------------------------------------------|
| 189 / 199 | 141.2 x 204.4                      | 5 9/16 x 8 1/16                                        |
| 289 / 299 | 156.2 x 204.4                      | 6 5/32 x 8 1/16                                        |
| 389 / 399 | 181.2 x 230.8                      | 7 5/32 x 9 3/16                                        |
| 489 / 499 | $((W \div 2) + 49.3) \times 204.4$ | $((W \div 2) + 1 \frac{31}{32}) \times 8 \frac{1}{16}$ |

W = width

Default exterior profile: C



99

Category 5



Model **199**  
Color: R205W

## STANDARD FEATURES

- White melamine back
- Drawer fronts are manufactured with reduced rails
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### SERIES 48 Category 3



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                                 | inches                                                            |
|-------|------------------------------------|-------------------------------------------------------------------|
| 148   | 187.8 x 187.8                      | 7 <sup>13</sup> / <sub>16</sub> x 7 <sup>13</sup> / <sub>32</sub> |
| 248   | 202.8 x 187.8                      | 8 x 7 <sup>13</sup> / <sub>32</sub>                               |
| 348   | 230.8 x 210.0                      | 9 <sup>3</sup> / <sub>32</sub> x 8 <sup>9</sup> / <sub>32</sub>   |
| 448   | $((W \div 2) + 73.1) \times 187.8$ | $((W \div 2) + 2 \frac{29}{32}) \times 7 \frac{13}{32}$           |

##### DRAWER fronts (Height x Width)

| MODEL | mm                                 | inches                                                            |
|-------|------------------------------------|-------------------------------------------------------------------|
| 148   | 131.8 x 187.8                      | 5 <sup>7</sup> / <sub>32</sub> x 7 <sup>13</sup> / <sub>32</sub>  |
| 248   | 146.8 x 187.8                      | 5 <sup>25</sup> / <sub>32</sub> x 7 <sup>13</sup> / <sub>32</sub> |
| 348   | 174.8 x 210.0                      | 6 <sup>29</sup> / <sub>32</sub> x 8 <sup>9</sup> / <sub>32</sub>  |
| 448   | $((W \div 2) + 17.1) \times 187.8$ | $((W \div 2) + 1 \frac{1}{16}) \times 7 \frac{13}{32}$            |



W = width

Default exterior profile: C

Model **148**

Color: R207W

### SERIES 49 Category 4



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                               | inches                                                            |
|-------|----------------------------------|-------------------------------------------------------------------|
| 149   | 195.6 x 195.6                    | 7 <sup>23</sup> / <sub>32</sub> x 7 <sup>23</sup> / <sub>32</sub> |
| 249   | 210.6 x 195.6                    | 8 <sup>5</sup> / <sub>16</sub> x 7 <sup>23</sup> / <sub>32</sub>  |
| 349   | 238.6 x 220.0                    | 9 <sup>13</sup> / <sub>32</sub> x 8 <sup>11</sup> / <sub>16</sub> |
| 449   | $((W \div 2) + 77) \times 195.6$ | $((W \div 2) + 3 \frac{1}{16}) \times 7 \frac{23}{32}$            |

##### DRAWER fronts (Height x Width)

| MODEL | mm                               | inches                                                           |
|-------|----------------------------------|------------------------------------------------------------------|
| 149   | 139.6 x 195.6                    | 5 <sup>1</sup> / <sub>2</sub> x 7 <sup>23</sup> / <sub>32</sub>  |
| 249   | 154.6 x 195.6                    | 6 <sup>3</sup> / <sub>32</sub> x 7 <sup>23</sup> / <sub>32</sub> |
| 349   | 185.6 x 220.0                    | 7 <sup>5</sup> / <sub>16</sub> x 8 <sup>11</sup> / <sub>16</sub> |
| 449   | $((W \div 2) + 21) \times 195.6$ | $((W \div 2) + 2 \frac{7}{32}) \times 7 \frac{23}{32}$           |

W = width

Default exterior profile: C



Model **149**

Color: R205W

## DOOR MODELS

REGULAR MODELS SERIES 01 . 04 . 15 . 47

## SERIES 01 Category 2



Minimum sizes

DOORS (Height x Width)

| MODEL | mm                                 | inches                                                           |
|-------|------------------------------------|------------------------------------------------------------------|
| 101   | 182.8 x 182.8                      | 7 <sup>7</sup> / <sub>32</sub> x 7 <sup>7</sup> / <sub>32</sub>  |
| 201   | 201.3 x 182.8                      | 7 <sup>15</sup> / <sub>16</sub> x 7 <sup>7</sup> / <sub>32</sub> |
| 301   | 222.8 x 182.8                      | 8 <sup>25</sup> / <sub>32</sub> x 7 <sup>7</sup> / <sub>32</sub> |
| 401   | $((W \div 2) + 71.6) \times 182.8$ | $((W \div 2) + 2 \frac{27}{32}) \times 7 \frac{7}{32}$           |

DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                                                           |
|-------|-----------------------------------|------------------------------------------------------------------|
| 101   | 120.2 x 182.8                     | 4 <sup>3</sup> / <sub>4</sub> x 7 <sup>7</sup> / <sub>32</sub>   |
| 201   | 138.7 x 182.8                     | 5 <sup>15</sup> / <sub>32</sub> x 7 <sup>7</sup> / <sub>32</sub> |
| 301   | 160.2 x 182.8                     | 6 <sup>5</sup> / <sub>16</sub> x 7 <sup>7</sup> / <sub>32</sub>  |
| 401   | $((W \div 2) + 9.0) \times 182.8$ | $((W \div 2) + \frac{3}{8}) \times 7 \frac{7}{32}$               |



W = width

Default exterior profile: C

Model 101

Color: C92W

## SERIES 04 Category 2



Minimum sizes

DOORS (Height x Width)

| MODEL | mm                                 | inches                                                            |
|-------|------------------------------------|-------------------------------------------------------------------|
| 104   | 199.0 x 199.0                      | 7 <sup>27</sup> / <sub>32</sub> x 7 <sup>27</sup> / <sub>32</sub> |
| 204   | 214.0 x 199.0                      | 8 <sup>7</sup> / <sub>16</sub> x 7 <sup>27</sup> / <sub>32</sub>  |
| 304   | 239.0 x 199.0                      | 9 <sup>7</sup> / <sub>16</sub> x 7 <sup>27</sup> / <sub>32</sub>  |
| 404   | $((W \div 2) + 75.1) \times 199.0$ | $((W \div 2) + 2 \frac{31}{32}) \times 7 \frac{27}{32}$           |

DRAWER fronts (Height x Width)

| MODEL | mm                                 | inches                                                            |
|-------|------------------------------------|-------------------------------------------------------------------|
| 104   | 136.4 x 199.0                      | 5 <sup>3</sup> / <sub>8</sub> x 7 <sup>27</sup> / <sub>32</sub>   |
| 204   | 151.4 x 199.0                      | 5 <sup>31</sup> / <sub>32</sub> x 7 <sup>27</sup> / <sub>32</sub> |
| 304   | 179.4 x 199.0                      | 7 <sup>3</sup> / <sub>32</sub> x 7 <sup>27</sup> / <sub>32</sub>  |
| 404   | $((W \div 2) + 12.5) \times 199.0$ | $((W \div 2) + \frac{1}{2}) \times 7 \frac{27}{32}$               |

W = width

Default exterior profile: C

Model 104



Color: C92W

## STANDARD FEATURES

- White melamine back
- Drawer fronts are manufactured with reduced rails
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### SERIES 15 Category 2



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                                 | inches                                                            |
|-------|------------------------------------|-------------------------------------------------------------------|
| 115   | 170.5 x 170.5                      | 6 <sup>23</sup> / <sub>32</sub> x 6 <sup>23</sup> / <sub>32</sub> |
| 215   | 185.8 x 170.5                      | 7 <sup>11</sup> / <sub>32</sub> x 6 <sup>23</sup> / <sub>32</sub> |
| 315   | 210.5 x 170.5                      | 8 <sup>5</sup> / <sub>16</sub> x 6 <sup>23</sup> / <sub>32</sub>  |
| 415   | $((W \div 2) + 63.1) \times 170.5$ | $((W \div 2) + 2 \frac{1}{2}) \times 6 \frac{23}{32}$             |

##### DRAWER fronts (Height x Width)

| MODEL | mm                                 | inches                                                            |
|-------|------------------------------------|-------------------------------------------------------------------|
| 115   | 127.1 x 170.5                      | 5 <sup>1</sup> / <sub>32</sub> x 6 <sup>23</sup> / <sub>32</sub>  |
| 215   | 142.1 x 170.5                      | 5 <sup>5</sup> / <sub>8</sub> x 6 <sup>23</sup> / <sub>32</sub>   |
| 315   | 167.1 x 170.5                      | 6 <sup>19</sup> / <sub>32</sub> x 6 <sup>23</sup> / <sub>32</sub> |
| 415   | $((W \div 2) + 19.7) \times 170.5$ | $((W \div 2) + \frac{25}{32}) \times 6 \frac{23}{32}$             |



W = width

Default exterior profile: U

Model **115**

Color: R204W

### SERIES 47 Category 2



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                                 | inches                                                           |
|-------|------------------------------------|------------------------------------------------------------------|
| 147   | 185.5 x 185.5                      | 7 <sup>5</sup> / <sub>16</sub> x 7 <sup>5</sup> / <sub>16</sub>  |
| 247   | 200.5 x 185.5                      | 7 <sup>29</sup> / <sub>32</sub> x 7 <sup>5</sup> / <sub>16</sub> |
| 347   | 228.5 x 210.0                      | 9 x 8 <sup>9</sup> / <sub>32</sub>                               |
| 447   | $((W \div 2) + 69.8) \times 185.5$ | $((W \div 2) + 2 \frac{3}{4}) \times 7 \frac{5}{16}$             |

##### DRAWER fronts (Height x Width)

| MODEL | mm                                 | inches                                                           |
|-------|------------------------------------|------------------------------------------------------------------|
| 147   | 129.5 x 185.5                      | 5 <sup>1</sup> / <sub>8</sub> x 7 <sup>5</sup> / <sub>16</sub>   |
| 247   | 144.5 x 185.5                      | 5 <sup>23</sup> / <sub>32</sub> x 7 <sup>5</sup> / <sub>16</sub> |
| 347   | 172.5 x 210.0                      | 6 <sup>13</sup> / <sub>16</sub> x 8 <sup>9</sup> / <sub>32</sub> |
| 447   | $((W \div 2) + 13.8) \times 185.5$ | $((W \div 2) + \frac{9}{16}) \times 7 \frac{5}{16}$              |

W = width

Default exterior profile: C




Model **147**

Color: R204W

## DOOR MODELS

REGULAR MODELS SERIES 08 . 09 . 32 . 39

## SERIES 39 Category 3



Minimum sizes

DOORS (Height x Width)

| MODEL | mm                                 | inches                                                            |
|-------|------------------------------------|-------------------------------------------------------------------|
| 139   | 175.7 x 175.7                      | 6 <sup>15</sup> / <sub>16</sub> x 6 <sup>15</sup> / <sub>16</sub> |
| 239   | 190.7 x 175.7                      | 7 <sup>17</sup> / <sub>32</sub> x 6 <sup>15</sup> / <sub>16</sub> |
| 339   | 215.7 x 200.6                      | 8 <sup>1</sup> / <sub>2</sub> x 7 <sup>29</sup> / <sub>32</sub>   |
| 439   | $((W \div 2) + 70.0) \times 175.7$ | $((W \div 2) + 2 \frac{25}{32}) \times 6 \frac{15}{16}$           |

DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                                                           |
|-------|-----------------------------------|------------------------------------------------------------------|
| 139   | 112.1 x 175.7                     | 4 <sup>7</sup> / <sub>16</sub> x 6 <sup>15</sup> / <sub>16</sub> |
| 239   | 127.1 x 175.7                     | 5 <sup>1</sup> / <sub>32</sub> x 6 <sup>15</sup> / <sub>16</sub> |
| 339   | 152.1 x 200.6                     | 6 x 7 <sup>29</sup> / <sub>32</sub>                              |
| 439   | $((W \div 2) + 6.4) \times 175.7$ | $((W \div 2) + \frac{9}{32}) \times 6 \frac{15}{16}$             |




W = width

Default exterior profile: C

Model 139

Color: R207W

## SERIES 09 Category 3



Minimum sizes

DOORS (Height x Width)

| MODEL | mm                                 | inches                                                           |
|-------|------------------------------------|------------------------------------------------------------------|
| 109   | 185.1 x 185.1                      | 7 <sup>5</sup> / <sub>16</sub> x 7 <sup>5</sup> / <sub>16</sub>  |
| 209   | 200.1 x 185.1                      | 7 <sup>29</sup> / <sub>32</sub> x 7 <sup>5</sup> / <sub>16</sub> |
| 309   | 225.1 x 185.1                      | 8 <sup>7</sup> / <sub>8</sub> x 7 <sup>5</sup> / <sub>16</sub>   |
| 409   | $((W \div 2) + 71.8) \times 185.1$ | $((W \div 2) + 2 \frac{27}{32}) \times 7 \frac{5}{16}$           |

DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                                                           |
|-------|-----------------------------------|------------------------------------------------------------------|
| 109   | 121.1 x 185.1                     | 4 <sup>25</sup> / <sub>32</sub> x 7 <sup>5</sup> / <sub>16</sub> |
| 209   | 136.1 x 185.1                     | 5 <sup>3</sup> / <sub>8</sub> x 7 <sup>5</sup> / <sub>16</sub>   |
| 309   | 161.1 x 185.1                     | 6 <sup>11</sup> / <sub>32</sub> x 7 <sup>5</sup> / <sub>16</sub> |
| 409   | $((W \div 2) + 7.8) \times 185.1$ | $((W \div 2) + \frac{5}{16}) \times 7 \frac{5}{16}$              |

W = width

Default exterior profile: B

Model 109



Color: C72R

## STANDARD FEATURES

- White melamine back
- Drawer fronts are manufactured with reduced rails
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### SERIES 32 Category 2



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                                 | inches                                                            |
|-------|------------------------------------|-------------------------------------------------------------------|
| 132   | 173.7 x 173.7                      | 6 <sup>27</sup> / <sub>32</sub> x 6 <sup>27</sup> / <sub>32</sub> |
| 232   | 188.7 x 173.7                      | 7 <sup>7</sup> / <sub>16</sub> x 6 <sup>27</sup> / <sub>32</sub>  |
| 332   | 213.7 x 173.7                      | 8 <sup>7</sup> / <sub>16</sub> x 6 <sup>27</sup> / <sub>32</sub>  |
| 432   | $((W \div 2) + 68.8) \times 173.7$ | $((W \div 2) + 2 \frac{23}{32}) \times 6 \frac{27}{32}$           |

##### DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                                                            |
|-------|-----------------------------------|-------------------------------------------------------------------|
| 132   | 110.1 x 173.7                     | 4 <sup>11</sup> / <sub>32</sub> x 6 <sup>27</sup> / <sub>32</sub> |
| 232   | 125.1 x 173.7                     | 4 <sup>15</sup> / <sub>16</sub> x 6 <sup>27</sup> / <sub>32</sub> |
| 332   | 150.1 x 173.7                     | 5 <sup>15</sup> / <sub>16</sub> x 6 <sup>27</sup> / <sub>32</sub> |
| 432   | $((W \div 2) + 5.2) \times 173.7$ | $((W \div 2) + \frac{7}{32}) \times 6 \frac{27}{32}$              |



W = width

Default exterior profile: C

Model **132**

Color: R207W

### SERIES 08 Category 3



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                                 | inches                                                           |
|-------|------------------------------------|------------------------------------------------------------------|
| 108   | 185.1 x 185.1                      | 7 <sup>5</sup> / <sub>16</sub> x 7 <sup>5</sup> / <sub>16</sub>  |
| 208   | 200.1 x 185.1                      | 7 <sup>29</sup> / <sub>32</sub> x 7 <sup>5</sup> / <sub>16</sub> |
| 308   | 225.1 x 185.1                      | 8 <sup>7</sup> / <sub>8</sub> x 7 <sup>5</sup> / <sub>16</sub>   |
| 408   | $((W \div 2) + 71.8) \times 185.1$ | $((W \div 2) + 2 \frac{27}{32}) \times 7 \frac{5}{16}$           |

##### DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                                                           |
|-------|-----------------------------------|------------------------------------------------------------------|
| 108   | 120.5 x 185.1                     | 4 <sup>3</sup> / <sub>4</sub> x 7 <sup>5</sup> / <sub>16</sub>   |
| 208   | 135.5 x 185.1                     | 5 <sup>11</sup> / <sub>32</sub> x 7 <sup>5</sup> / <sub>16</sub> |
| 308   | 160.5 x 185.1                     | 6 <sup>11</sup> / <sub>32</sub> x 7 <sup>5</sup> / <sub>16</sub> |
| 408   | $((W \div 2) + 7.8) \times 185.1$ | $((W \div 2) + \frac{5}{16}) \times 7 \frac{5}{16}$              |

W = width

Default exterior profile: B


Model **108**

Color: C72R



## DOOR MODELS

SPECIAL MODELS SERIES 73 . 921 . 972 . 974

MODEL **972** | Category 4Model **972**  
Color: C92WModel **975**  
Color: C92W

## Minimum sizes


## DOORS (Height x Width)

| MODEL | mm            | inches                                                            |
|-------|---------------|-------------------------------------------------------------------|
| 972   | 264.2 x 213.7 | 10 <sup>13</sup> / <sub>32</sub> x 8 <sup>7</sup> / <sub>16</sub> |

## DRAWER fronts (Height x Width)

| MODEL | mm            | inches                                                             |
|-------|---------------|--------------------------------------------------------------------|
| 972   | 144.2 x 213.7 | 5 <sup>11</sup> / <sub>16</sub> x 8 <sup>7</sup> / <sub>16</sub>   |
| 975   | 144.2 x 264.2 | 5 <sup>11</sup> / <sub>16</sub> x 10 <sup>13</sup> / <sub>32</sub> |

Default exterior profile: B

Model **972**  
Color: C92WMODEL **974** | Category 4

## Minimum sizes

## DOORS (Height x Width)

| MODEL | mm            | inches                                                          |
|-------|---------------|-----------------------------------------------------------------|
| 974   | 213.7 x 213.7 | 8 <sup>7</sup> / <sub>16</sub> x 8 <sup>7</sup> / <sub>16</sub> |

## DRAWER fronts (Height x Width)

| MODEL | mm            | inches                                                           |
|-------|---------------|------------------------------------------------------------------|
| 974   | 164.2 x 213.7 | 6 <sup>15</sup> / <sub>32</sub> x 8 <sup>7</sup> / <sub>16</sub> |

Default exterior profile: B




Model **974**  
Color: C72R

## STANDARD FEATURES

- White melamine back
- Drawer fronts are manufactured with reduced rails
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### SERIES 73 | Category 3



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm                                 | inches                                               |
|-------|------------------------------------|------------------------------------------------------|
| 173   | 153.7 x 153.7                      | 6 1/16 x 6 1/16                                      |
| 273   | 168.7 x 153.7                      | 6 21/32 x 6 1/16                                     |
| 373   | 193.7 x 200.0                      | 7 21/32 x 7 7/8                                      |
| 473   | $((W \div 2) + 60.1) \times 153.7$ | $((W \div 2) + 2 \frac{3}{8}) \times 6 \frac{1}{16}$ |

##### DRAWER fronts (Height x Width)

| MODEL | mm                                | inches                                              |
|-------|-----------------------------------|-----------------------------------------------------|
| 173   | 93.7 x 153.7                      | 3 23/32 x 6 1/16                                    |
| 273   | 108.7 x 153.7                     | 4 9/32 x 6 1/16                                     |
| 373   | 133.7 x 200.0                     | 5 9/32 x 7 7/8                                      |
| 473   | $((W \div 2) + 0.1) \times 153.7$ | $((W \div 2) + \frac{1}{32}) \times 6 \frac{1}{16}$ |


W = width

Default exterior profile: B



Model **173**

Color: C92W

### MODEL 921 | Category 3



Default exterior profile: door models 921 to 924 are manufactured with its own exterior profile.



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm           | inches         |
|-------|--------------|----------------|
| 921   | 34.7 x 128.0 | 1 3/8 x 5 1/16 |
| 922   | 34.7 x 128.0 | 1 3/8 x 5 1/16 |
| 923   | 34.7 x 171.4 | 1 3/8 x 6 3/4  |
| 924   | 34.7 x 128.0 | 1 3/8 x 5 1/16 |

##### DRAWER fronts (Height x Width)

| MODEL | mm           | inches         |
|-------|--------------|----------------|
| 921   | 34.7 x 128.0 | 1 3/8 x 5 1/16 |
| 922   | 34.7 x 128.0 | 1 3/8 x 5 1/16 |
| 923   | 34.7 x 171.4 | 1 3/8 x 6 3/4  |
| 924   | 34.7 x 128.0 | 1 3/8 x 5 1/16 |

Model **921**

Color: C72R

# DOOR MODELS

SPECIAL MODELS SERIES 00 . 50 . 911 . 912

\* Option: compatible melamine back details on pages 46-47.

SERIES 00

Category 1



Model 000 minimum sizes are determined by the exterior profile selected:

DOORS AND DRAWER FRONTS

| EXTERIOR PROFILE                | (Height x Width) |                 |
|---------------------------------|------------------|-----------------|
|                                 | mm               | inches          |
| A, B, C, G, I, J, K, L, Q, R, Y | 38 x 38          | 1 1/2 x 1 1/2   |
| M                               | 38 x 38          | 1 1/2 x 1 1/2   |
| D, W                            | 50 x 50          | 2 x 2           |
| E, F, S, T, U, V                | 76 x 76          | 3 x 3           |
| H                               | 82 x 82          | 3 1/4 x 3 1/4   |
| P                               | 91 x 91          | 3 9/16 x 3 9/16 |


Minimum charges for thermoplastic pieces of less than 76.2 mm (3") in height (or width).

Products: 2000 and 3000  
Length: 1.828 m to 2.438 m (72" à 96")  
Width: less than 76.2 mm (3")  
Minimum charge: 2 pi²

Model 000F  
Color: R205W

MODEL 912

Category 3



Minimum sizes

DOORS (Height x Width)

| MODEL | mm          | inches            |
|-------|-------------|-------------------|
| 912   | 95.9 x 95.9 | 3 25/32 x 3 25/32 |

DRAWER fronts (Height x Width)

| MODEL | mm          | inches            |
|-------|-------------|-------------------|
| 912   | 95.9 x 95.9 | 3 25/32 x 3 25/32 |

Default exterior profile: F

Model 912  
Color: C92W


R = 3 mm

## STANDARD FEATURES

- White melamine back
- Woodgrain pattern direction always runs vertically to height, unless specified otherwise
- Maximum door height: 2440 mm (96"), maximum door width: 1118 mm (47")



### MODEL 911 | Category 3



#### Minimum sizes

##### DOORS (Height x Width)

| MODEL | mm          | inches            |
|-------|-------------|-------------------|
| 911   | 92.7 x 92.7 | 3 21/32 x 3 21/32 |

##### DRAWER fronts (Height x Width)



| MODEL | mm          | inches            |
|-------|-------------|-------------------|
| 911   | 92.7 x 92.7 | 3 21/32 x 3 21/32 |

Default exterior profile: door model 911 manufactured with its own exterior profile.

#### Model 911

Color: C92W

### SERIES 50 | Category 2



Regular rail  
(by default)



Reduced rail



#### Minimum sizes

##### DOORS AND DRAWERS (Height x Width)

| MODEL | mm                     | inches                    |
|-------|------------------------|---------------------------|
| 150   | 146.0 x 146.0          | 5 3/4 x 5 3/4             |
| 250   | 161.0 x 146.0          | 6 11/32 x 5 3/4           |
| 350   | 186.0 x 200.6          | 7 11/32 x 7 29/32         |
| 450   | ((W÷2) + 60.4) x 146.0 | ((W÷2) + 2 13/32) x 5 3/4 |

##### REDUCED DRAWER FRONTS (Height x Width)

| MODEL  | mm                    | inches                |
|--------|-----------------------|-----------------------|
| 150red | 76.2 x 146.0          | 3 x 5 3/4             |
| 250red | 91.2 x 146.0          | 3 19/32 x 5 3/4       |
| 350red | 116.2 x 200.6         | 4 19/32 x 7 29/32     |
| 450red | ((W÷2) - 9.4) x 146.0 | ((W÷2) - 3/8) x 5 3/4 |

NOTE: Not available with exterior profiles D, F, H, P, V and W.  
red = reduced

W = width

Default exterior profile: Q

Series 50 drawer fronts come standard with full top and bottom rails. If reduced rail drawer fronts are required, it must be specified when placing your order.

#### Model 150

Color: R205W



## DOOR MODELS

## SPECIAL MODELS

## MODEL 910 | Category 6



Model **910**  
Color: F44W

VERTICAL  
CROSS SECTION

## Minimum sizes

## DOORS (Height x Width)



| MODEL | mm            | inches       |
|-------|---------------|--------------|
| 910   | 147.0 x 254.0 | 5 13/16 x 10 |

NOTE: Default exterior profile: Q


## MODEL 996 | Category 3




Model **996**  
Color: R204W

ALIGNMENT OF ADJACENT DOORS  
AND DRAWERS

A, B, C, D, E, F and G: height of doors and drawers.  
S: vertical space required between drawers.

VERTICAL  
CROSS SECTIONHORIZONTAL  
CROSS SECTION

## FRAME DOORS



## Minimum sizes

## DOORS (Height x Width)

| MODEL | mm           | inches     |
|-------|--------------|------------|
| 996   | 25.4 x 162.8 | 1 x 6 7/16 |

Note: Not available with exterior profiles  
D, F, H and P.

Default exterior profile: Y

# GROOVES ON CENTER PANELS



Color: C92W



If you require vertical grooves on your center panel, please choose this option when you place your order.


- For POS orders placed through internet:  
When entering product, select SC (Special Charges) and choose option MODEL-VERTICAL GROOVES. Then click on Single vertical grooves or Double vertical grooves.
- For faxed orders with ORDER FORM #1:  
Please specify VERTICAL GROOVE OPTIONS in the MODEL box, single or double grooved.

The vertical groove options on center panel are available on most door models. Please contact your Customer Service Representative for more information.


Color: R204W



Single Vertical Grooves



Double Vertical Grooves



Color: R207W





# PANELS

**MULTIPLE PANELS | APPLIANCE PANELS**  
**BUILT-IN APPLIANCE PANELS | WINE RACKS**


## Multiple Panels




Model **5282**  
Double  
Color: R205W




Model **5283**  
Triple




Model **5284**  
Quadruple




Model **5288**  
Quadruple



Model **5285**  
Split



Model **5286**  
Triple Split



Model **5287**  
Quadruple Split



### OPTION

Multiple and Appliance Panels may be separated by profiles matching edge details to appear as individual door sections. If individual door section sizes are not specified, they will be produced in equal sizes.

## Appliance Panels

Appliance panels are available in the same models as the doors and multiple panels. However, their exterior is modified, as shown, to simplify their insertion.

Exterior profile C in this example.  
Available profiles: A, B, C, F, I, J, L, Y.



### SPECIFICATIONS

Values from **A** to **E** must be specified. If not specified, default value for **E** will be 6.35 mm ( $\frac{1}{4}$ "). Minimum size for **E** is 4.76 mm ( $\frac{3}{16}$ ").

### MODELS AVAILABLE


- Single (5270)
- Double (5272)
- Double Split (5275)
- Triple (5273)
- Triple Split (5276)
- Quadruple (5274, 5278)
- Quadruple Split (5277)

## Built-in Appliance/Panels


Certain frame and mullion doors can be painted with Pro-Teint Italian Lacquer, please refer to Customer Service for more information.




Model **5566**  
Color: R205W




Model **5560**




Model **5561**



Model **5567**



Model **5568**



Model **5569**

### SPECIFICATIONS

- 1) All profiles available for both the inside edge detail and exterior profile. Profiles by default are **J** for the inside edge detail and **Q** for the exterior profile.
- 2) All vents centered horizontally and vertically.
- 3) Rail width minimum sizes:
  - with vent, 50 mm (2");
  - without vent, 38.1 mm (1 1/2")
- 4) For models 5567, 5568 and 5569, please specify at least 1 opening height

## CONFIGURATION STANDARD

Special programming will apply for non standard configurations.



## Wine Racks

### CIRCLE SHAPED



Model **5132**  
Color: R204W



Model **5133**  
Color: R204W

### SPECIFICATIONS


- If models 5132 and 5133 are paired together, it must be specified when placing your order.
- Minimum size: 5132: 76.2 mm (3") height  
5133: 69.8 mm (2 3/4") height



Model **5134**  
Color: R204W



Model **5138**  
Color: R204W



### SPECIFICATIONS

- Standard Hole Diameter: 101.6 mm (4")
- Distance between holes: 133.4 mm (5 1/4")
- $A = \frac{[\text{Width} - (\text{number of holes} - 1) \times 133.4 \text{ mm}]}{2}$   
 $\frac{[\text{Width} - (\text{number of holes} - 1) \times 5 \frac{1}{4} \text{"}]}{2}$   
 $B = \frac{[\text{Height} - (\text{number of holes} - 1) \times 133.4 \text{ mm}]}{2}$   
 $\frac{[\text{Height} - (\text{number of holes} - 1) \times 5 \frac{1}{4} \text{"}]}{2}$
- A or B minimum size: 76.2 mm (3")

### X SHAPED



Model **5141**  
Color: R205W



Model **5142**  
Color: R205W



Model **5143**  
Color: R205W

### SPECIFICATIONS

Opening size: 101.6 x 101.6 mm (4" x 4")

NOTE: Number of openings varies according to specified dimensions..

| PRODUCT          | VERTICAL HOLE NUMBER | HORIZONTAL HOLE NUMBER | HOLES TOTAL | MINIMUM HEIGHT |        | MAXIMUM HEIGHT |        | MINIMUM HEIGHT |        | MAXIMUM HEIGHT |        |
|------------------|----------------------|------------------------|-------------|----------------|--------|----------------|--------|----------------|--------|----------------|--------|
|                  |                      |                        |             | mm             | in.    | mm             | in.    | mm             | in.    | mm             | in.    |
| <b>5134</b>      | 1                    | 4                      | 4           | 152.4          | 6      | 285.7          | 11 1/4 | 552.5          | 21 3/4 | 685.7          | 27     |
| <b>5134/5138</b> | 1                    |                        |             | 152.4          | 6      | 285.7          | 11 1/4 |                |        |                |        |
|                  | 2                    |                        |             | 285.8          | 11 1/4 | 419.0          | 16 1/2 |                |        |                |        |
|                  | 3                    |                        |             | 419.1          | 16 1/2 | 501.6          | 19 3/4 |                |        |                |        |
|                  | 4                    |                        |             | 552.5          | 21 3/4 | 685.7          | 27     |                |        |                |        |
|                  | 5                    |                        |             | 685.8          | 27     | 819.1          | 32 1/4 |                |        |                |        |
|                  | 6                    |                        |             | 819.2          | 32 1/4 | 952.4          | 37 1/2 |                |        |                |        |
| <b>5138</b>      | 2                    | 4                      | 8           | 285.8          | 11 1/4 | 419.0          | 16 1/2 | 552.5          | 21 3/4 | 685.7          | 27     |
| <b>5138</b>      | 2                    | 5                      | 10          | 285.8          | 11 1/4 | 419.0          | 16 1/2 | 685.8          | 27     | 819.1          | 32 1/4 |
| <b>5141</b>      | 3                    | 1                      | 3           | 571.7          | 22 1/2 | 760.1          | 29 7/8 | 239.4          | 9 3/8  | 427.9          | 16 7/8 |
| <b>5142</b>      | 3                    | 2                      | 8           | 616.6          | 24 1/4 | 805.0          | 31 3/4 | 428.0          | 16 7/8 | 616.5          | 24 1/4 |
| <b>5143</b>      | 4                    | 2                      | 11          | 760.2          | 29 7/8 | 948.7          | 37 3/8 | 383.1          | 15 1/8 | 571.6          | 22 1/2 |
| <b>5141/5142</b> | 1                    |                        |             | 239.4          | 9 3/8  | 427.9          | 16 7/8 |                |        |                |        |
|                  | 2                    |                        |             | 428.0          | 16 7/8 | 616.5          | 24 1/4 |                |        |                |        |
|                  | 3                    |                        |             | 616.6          | 24 1/4 | 805.0          | 31 3/4 |                |        |                |        |
|                  | 4                    |                        |             | 805.1          | 31 3/4 | 993.6          | 39 1/8 |                |        |                |        |
|                  | 5                    |                        |             | 993.7          | 39 1/8 | 1182.2         | 46 1/2 |                |        |                |        |
|                  | 6                    |                        |             | 1182.3         | 46 1/2 | 1370.8         | 54     |                |        |                |        |
| <b>5143</b>      | 1                    |                        |             | 194.5          | 7 5/8  | 383.0          | 15 1/8 |                |        |                |        |
|                  | 2                    |                        |             | 383.1          | 15 1/8 | 571.6          | 22 1/2 |                |        |                |        |
|                  | 3                    |                        |             | 571.7          | 22 1/2 | 760.1          | 29 7/8 |                |        |                |        |
|                  | 4                    |                        |             | 760.2          | 29 7/8 | 948.7          | 37 3/8 |                |        |                |        |
|                  | 5                    |                        |             | 948.8          | 37 3/8 | 1137.3         | 44 3/4 |                |        |                |        |
|                  | 6                    |                        |             | 1137.4         | 44 3/4 | 1325.9         | 52 1/4 |                |        |                |        |

# FRAME AND MULLION DOORS

STANDARD | SPECIAL | GLASS RETAINER MOULDINGS

Certain frame and mullion doors can be painted with Pro-Teint Italian Lacquer, please refer to Customer Service for more information.

Model **4101**





Color: R205W

Model **4106**








Color: R205W

## Standards








### SERIES 4100

**4101****4102****4103****4104****4106****4108****4110****4112**







### SERIES 4200

**4201****4202****4203****4204****4206****4208****4210****4212**

### SERIES 4300




**4301****4302****4303****4304****4306****4308****4310****4312**

### SERIES 4400



**4401****4402****4403****4404****4406****4408****4410****4412**

## Special







### SERIES 6300-6400

**6305****6405****6307****6407****6309****6409**



### SERIES 6700

**6701****6702****6705****6706****6707****6708**

### SERIES 6500-6600

**6501****6601****6502****6602****6503****6603**

### SERIES 6900

**6907****6909****6910****6912**

## SPECIFICATIONS

An interior profile must be specified for model 000 frame or mullion door.

NOTE: Models 911 and 912 frame or mullion door are manufactured with 09 interior profile.

## OPTION

MDF core will be visible on the back of the frame and mullion doors.  
Painting of exposed surfaces is available as an option.



## SPECIFICATIONS

- 1) For special mullion frames (except series 6900) where the mullion bars line-up horizontally, the door widths must be identical.
- 2) An interior profile must be specified for models 000, 911, 912 (profile 09 by default) and 910 (profile 151 by default) frame or mullion doors.
- 3) Series 83 to 89 are only available in special mullion door models 6706, 6708, 6909 and 6912. This restriction does not apply to series 93 to 99.
- 4) Models 928, 942, 943 and 944 are available only in 4100 series.
- 5) Model 996 frame and mullion doors are available only in 4100 series.
- 6) Mitre style models 7730-31-32, 7930-31-32 and 928 are not available with glass retainer insert grooves.

## Glass insert sizes

| MODEL                                                                                                      | Height  |             | Width   |             |
|------------------------------------------------------------------------------------------------------------|---------|-------------|---------|-------------|
|                                                                                                            | mm      | inches      | mm      | inches      |
| 01-03-04-06-07-27-33-46-71-73-167-767-774X*-974                                                            | H - 115 | H - 4 1/2   | L - 115 | L - 4 1/2   |
| 08-09-32-39-47-48-49-50-51-52-55-56-59-60-70-72-74-75-76-77-78-83-85-86-87-88-89-93-95-96-97-98-99-942-972 | H - 102 | H - 4       | L - 102 | L - 4       |
| 15                                                                                                         | H - 91  | H - 3 9/16  | L - 91  | L - 3 9/16  |
| 928*                                                                                                       | H - 147 | H - 5 13/16 | L - 147 | L - 5 13/16 |
| 921-924                                                                                                    | H - 91  | H - 3 9/16  | L - 127 | L - 5       |
| 923                                                                                                        | H - 91  | H - 3 9/16  | L - 163 | L - 6 7/16  |
| 996                                                                                                        | H - 88  | H - 3 1/2   | L - 102 | L - 4       |
| 764-943-944                                                                                                | H - 131 | H - 5 5/32  | L - 131 | L - 5 5/32  |
| 773X*-793X*                                                                                                | H - 96  | H - 3 13/16 | L - 96  | L - 3 13/16 |
| 76-794X*                                                                                                   | H - 109 | H - 4 5/16  | L - 109 | L - 4 5/16  |
| 61-62-65-66-164-764                                                                                        | H - 127 | H - 5       | L - 127 | L - 5       |


H = height W = width

\* No groove for retainer


## Glass Retainer Moulding

### COLORS AVAILABLE

- Clear (5351)
- White (5350)



### GLASS INSTALLATION



## SPECIFICATIONS

Suggested glass thickness: 3 mm (1/8") to 5 mm (3/16"). For dimensions over 48", glass thickness of 5 mm (3/16") suggested.

### Minimum sizes

#### MODELS 4100 - 4200 - 4300

| Lites | Height x Width |             |
|-------|----------------|-------------|
|       | mm             | inches      |
| 01    | 203.2 x 203.2  | 8 x 8       |
| 02    | 279.4 x 203.2  | 11 x 8      |
| 03    | 368.3 x 203.2  | 14 1/2 x 8  |
| 04    | 279.4 x 279.4  | 11 x 11     |
| 06    | 368.3 x 279.4  | 14 1/2 x 11 |
| 08    | 457.2 x 279.4  | 18 x 11     |
| 10    | 546.1 x 279.4  | 21 1/2 x 11 |
| 12    | 635.0 x 279.4  | 25 x 11     |

#### MODEL 4400

| Lites | Height x Width |
|-------|----------------|
| 01    | *              |
| 02    | ≥ L            |
| 03    | ≥ 1.4 x L      |
| 04    | ≥ L            |
| 06    | ≥ 1.4 x L      |
| 08    | ≥ 1.8 x L      |
| 10    | ≥ 2.2 x L      |
| 12    | ≥ 2.6 x L      |

\* Mullion frames 4401 have the same minimum sizes as their corresponding door model (ex.: 401, etc.).

#### MODELS 6300 - 6400 - 6500 - 6600

| Series      | Height    |
|-------------|-----------|
| 6305 - 6405 | ≥ 1.4 x L |
| 6307 - 6407 | ≥ 1.6 x L |
| 6309 - 6409 | ≥ 2 x L   |
| 6501 - 6601 | ≥ L       |
| 6502 - 6602 | ≥ 1.4 x L |
| 6503 - 6603 | ≥ 1.6 x L |
| 6505 - 6605 | ≥ 1.4 x L |
| 6507 - 6607 | ≥ 1.6 x L |
| 6509 - 6609 | ≥ 2.0 x L |

The radius of the arch is not equal to the width of the door. Please contact a Customer Service Representative for more information.

#### MODEL 6700

| Series | Height    |
|--------|-----------|
| 6701   | ≥ 0.6 x L |
| 6702   | ≥ 0.9 x L |
| 6705   | ≥ 1.5 x L |
| 6706   | ≥ 1.5 x L |
| 6707   | ≥ 1.9 x L |
| 6708   | ≥ 1.9 x L |


#### MODEL 6900

| Series | Height x Width |                   |
|--------|----------------|-------------------|
| 6907   | 500 x 444.5    | 19 11/16 x 17 1/2 |
| 6909   | 425 x 444.5    | 16 3/4 x 17 1/2   |
| 6910   | 600 x 444.5    | 23 5/8 x 17 1/2   |
| 6912   | 525 x 444.5    | 20 11/16 x 17 1/2 |


# MOULDINGS AND ACCESSORIES

DECORATIVE MOULDINGS | TRIM MOULDINGS | CROWN MOULDINGS  
DECORATIVE BASE | BASE BOARDS | CASINGS | DECORATIVE CORNER | VALANCES


## Decorative Mouldings




Model 5902




Model 5903




Model 5906




Model 5908




Model 5909




Model 5912




Model 5914




Model 5918




Model 5942



Model 5960



Model 5990




Model 5992

| MODEL | Height x Thickness |                 |
|-------|--------------------|-----------------|
|       | mm                 | inches          |
| 5767  | 40.6 x 15.2        | 1 5/8 x 5/8     |
| 5902  | 17.5 x 7           | 1 1/16 x 9/32   |
| 5903  | 20.6 x 6.4         | 1 3/16 x 1/4    |
| 5906  | 36.5 x 17.5        | 1 7/16 x 1 1/16 |
| 5908  | 19 x 8             | 3/4 x 5/16      |
| 5909  | 19 x 19            | 3/4 x 3/4       |
| 5912  | 22.2 x 8           | 7/8 x 5/16      |
| 5914  | 25.4 x 12          | 1 x 1 5/32      |
| 5918  | 27 x 6.4           | 1 1/16 x 1/4    |
| 5942  | 25.4 x 19          | 1 x 3/4         |
| 5960  | 35 x 16            | 1 3/8 x 5/8     |
| 5990  | 19 x 9.5           | 3/4 x 3/8       |
| 5992  | 38 x 19            | 1 1/2 x 3/4     |

### SPECIFICATIONS

- 1) 2.4 m (8') lengths.
- 2) Definition will vary according the thickness of the foil.
- 3) Models 5902, 5912: 94" length

## Decorative moulding




Model 5767


## Decorative Base

Model 5590

95.2 x 222.2 mm  
(3 3/4" x 8 3/4")




## Decorative corner



Model 5531

76.2 x 19.1 mm et 76.2 x 25 mm  
(3" x 3/4" et 3" x 1")




Model 5540

95.2 x 95.2 mm  
(3 3/4" x 3 3/4")

## Base Board

Model 5760



Model 5761




Model 5762





| MODEL | Height x Thickness |             |
|-------|--------------------|-------------|
|       | mm                 | inches      |
| 5760  | 165.1 x 15.2       | 6 1/2 x 5/8 |
| 5761  | 139.7 x 15.2       | 5 1/2 x 5/8 |
| 5762  | 108 x 15.2         | 4 1/4 x 5/8 |



## Trim Mouldings




Model 747



Model 748



Model 758



### BULK PACKAGING

| MODEL       | PIECES/BOX |
|-------------|------------|
| 747-748-758 | 12         |

NOTE: Certain color restrictions apply.  
Please consult price list.

## Casings



Model 5763




Model 5764

| MODEL | Height x Thickness |               |
|-------|--------------------|---------------|
|       | mm                 | inches        |
| 5763  | 68.3 x 15.2        | 2 11/16 x 5/8 |
| 5764  | 79.4 x 15.2        | 3 1/8 x 5/8   |


- Indicates line details where penciled glaze / excess wiped glaze will remain.

## Crown mouldings




Model 718

Model 719




Model 721

Model 741




Model 743

Model 745



Model 746

Model 751



Model 756

Model 757

| MODEL | Height x Thickness |                  |
|-------|--------------------|------------------|
|       | mm                 | inches           |
| 718   | 99.1 x 24.6        | 3 15/16 x 3 1/32 |
| 719   | 99.1 x 25          | 3 15/16 x 1      |
| 721   | 65.1 x 19.1        | 2 9/16 x 3/4     |
| 741   | 76.2 x 17.5        | 3 x 11/16        |
| 743   | 90.5 x 17.5        | 3 9/16 x 11/16   |
| 745   | 69.9 x 17          | 2 3/4 x 43/64    |
| 746   | 80.2 x 17.5        | 3 5/32 x 11/16   |
| 751   | 108 x 15           | 4 1/4 x 19/32    |
| 756   | 88.9 x 19.1        | 3 1/2 x 3/4      |
| 757   | 139.7 x 30         | 5 1/2 x 1 11/64  |

### LENGTHS AVAILABLE


- 2.4 m (8'): all models, all colors

### BULK PACKAGING


| MODEL           | PIECES/BOX |
|-----------------|------------|
| 741-743-745-746 | 4          |
| 756-757         | 2          |

NOTE: Certain color restrictions apply.  
Please consult price list.

## 3" Standard Valances



Model 5601



Model 5605


### SPECIFICATION

- 1) Standard valances are 76.2 mm (3") high with one long edge profile.
- 2) All exterior profiles available. (See page 3 for profile details)
- 3) 5601, 5602 (shaped 2 sides) = 76.2 m (96")
- 4) Horizontal woodgrain by default.
- 5) To order profiled fillers, base mouldings or valances, order 2000 and 3000 product (see page 26).


• Indicates line details where penciled glaze / excess wiped glaze will remain.

## INSTALLATION


### METHOD 1




Model 741




Model 745




Model 746




Model 751



Model 743




Model 756




Model 757


### METHOD 2




Model 741




Model 745




Model 746




Model 751



Model 5718



Model 5719



Model 721

### SPECIFICATION

Nailing strips should be glued and clamped rather than nailed.



# MOULDINGS AND ACCESSORIES

VALANCES | ROSETTES | FLUTED FILLERS | RADIUS CORNERS | ORNAMENTS

## Custom Valances



Model **5610**  
Color: C72R



Model **5620**  
Color: C72R



Model **5631**  
Color: C72R




Model **5640**  
Color: C72R



Model **5650**  
Color: C72R

## Valances (Designer Series)



Model **5510**  
Country Manor



Model **5520**  
Country Cottage


| MODEL                   | Minimum sizes |     |       |       | Standard sizes |     |     |     |
|-------------------------|---------------|-----|-------|-------|----------------|-----|-----|-----|
|                         | A             |     | B     |       | A              |     | B   |     |
|                         | mm            | in. | mm    | in.   | mm             | in. | mm  | in. |
| 5510<br>Country Manor   | 152           | 6   | 235   | 9 1/4 | 152            | 6   | 762 | 30  |
| 5520<br>Country Cottage | "             |     | 304.8 | 12    | "              |     | 762 | 30  |

### SPECIFICATIONS

- 1) Back routing is identical to frame and mullion doors.
- 2) Model 5520 "Eye Shaped" pattern repeated every 355.6 mm (14").
- 3) All profiles available except D, F, H and P.
- 4) If width < 44", woodgrain direction parallel to height
- 5) If width > 44", woodgrain direction parallel to width.

## Standards

Custom valance standards have been established as shown below. Therefore, custom valances ordered outside of these standards will be considered as a special programming orders.



Models **5610-5611-5616**

If **B** < 609.6 mm (24"), **E** = 76.2 mm (3")


If **B** ≥ 609.6 mm (24"), **E** = 152.4 mm (6")

If **A** < 203.2 mm (8"), **C** = 50.8 mm (2")

If **A** ≥ 203.2 mm (8"), **C** = 101.6 mm (4")

### Minimum sizes

| MODEL                       | A     |     | B     |     |
|-----------------------------|-------|-----|-------|-----|
|                             | mm    | in. | mm    | in. |
| 5610 plain                  | 101.6 | 4   | 330.2 | 13  |
| 5611 with 2 routed circles  | 101.6 | 4   | 330.2 | 13  |
| 5616 with 2 applied rosette | 101.6 | 4   | 330.2 | 13  |
| 5620 plain                  | 101.6 | 4   | 304.8 | 12  |
| 5621 with 2 routed circles  | 101.6 | 4   | 304.8 | 12  |
| 5626 with 2 applied rosette | 101.6 | 4   | 304.8 | 12  |
| 5630 plain                  | 101.6 | 4   | 304.8 | 12  |
| 5631 with 2 routed circles  | 101.6 | 4   | 304.8 | 12  |
| 5636 with 2 applied rosette | 101.6 | 4   | 304.8 | 12  |
| 5640 plain                  | 101.6 | 4   | 254   | 10  |
| 5650 plain                  | 101.6 | 4   | 152.4 | 6   |



Models **5620-5621-5626, 5630-5631-5636**


**E** is variable

If **B** < 508 mm (20"), **E** minimum size is 76.2 mm (3") and **E** maximum size is 101.6 mm (4")

If **B** ≥ 508 mm (20"), **E** minimum size is 76.2 mm (3") and **E** maximum size is 165.1 mm (6 1/2")

If **A** < 203.2 mm (8"), **C** = 50.8 mm (2")

If **A** ≥ 203.2 mm (8"), **C** = 101.6 mm (4")



Model **5640**


If **B** < 762 mm (30"), **F** = 127 mm (5") and **C** = 25.4 mm (1")

If **B** ≥ 762 mm (30"), **F** = 254 mm (10") and **C** = 50.8 mm (2")

### SPECIFICATIONS

- 1) Only the bottom edge is profiled. Please specify the edge profile.
- 2) Rosettes are centered vertically in the **A** dimension and horizontally in the **E** dimension.
- 3) Woodgrain pattern is parallel to width. (Certain exceptions may apply, please contact a Customer Service Representative for further information.)


## Rosettes



Model **5530**  
Color: C72R

Model **5580**  
Color: C72R

### INTERIOR PROFILE



### SPECIFICATIONS

- 1) The following edge profiles are not available: **H, P** and **V**.
- 2) All other profiles except **Q** and **Y** require 88.9 mm (3 1/2") minimum.
- 3) Available with white backs only.

#### Standard sizes

| MODEL                | A    |     | B    |         | C         |         |
|----------------------|------|-----|------|---------|-----------|---------|
|                      | mm   | in. | mm   | in.     | mm        | in.     |
| 5530 circle route    | 76.2 | 3   | 68   | 2 11/16 | 19.1 – 25 | 3/4 – 1 |
| 5580 applied rosette | 76.2 | 3   | 63.5 | 2 1/2   | 19.1 – 25 | 3/4 – 1 |

## 3" Radius Corners



Model **5300**

Model **5301**

Model **5302**

Model **5304**

Standard lengths  
800 mm (31 1/2")

Model **5310**

Model **5311**

Model **5312**

Model **5314**

Standard lengths  
2440 mm (96")

### SPECIFICATIONS

- 1) Standard lengths: 800 mm (31 1/2"), 2440 mm (96"). Custom lengths also available as an option.
- 2) 800 mm (31 1/2") standard: the groove begins 57.2 mm (2 1/4") from one end. It is designed to compliment a 762 mm (30") door.
- 3) 2440 mm (96") standard: the groove begins 57.2 mm (2 1/4") from both ends.

## Shaker Filler



Model **5450**

### SPECIFICATIONS

- 1) Default, edge profile will be **Q**.
- 2) The following edge profiles are not available: **H, P** and **V**.
- 3) Different lengths are available for **A** and **C**.

#### Standard sizes

| MODEL | A    |     | C   |     |
|-------|------|-----|-----|-----|
|       | mm   | in. | mm  | in. |
| 5450  | 76.2 | 3   | 813 | 32  |

## Fluted Fillers

Model **5406**



Model **5429**



Model **5436**



Model **5411**


Model **5430**

Model **5439**


### SPECIFICATIONS

- 1) By default, the edge profile will be **Q**.
- 2) The following edge profiles are not available: **H, P** and **V**.
- 3) Unless otherwise specified, default ratio is one groove per inch of width.
- 4) Different length available for **A, B, C, D, E** on request.

#### INTERIOR PROFILE



NOTE : If C is < 609.6 mm (24")  
**B** = 38.1 mm (1 1/2")  
**D** = 101.6 mm (4")  
**E** = 25.4 mm (1")



#### Standard sizes

| MODEL | DESCRIPTION                                | A    |     | B     |       | C   |     | D     |     | E    |     | F    |         |
|-------|--------------------------------------------|------|-----|-------|-------|-----|-----|-------|-----|------|-----|------|---------|
|       |                                            | mm   | in. | mm    | in.   | mm  | in. | mm    | in. | mm   | in. | mm   | in.     |
| 5400  | plain                                      | 76.2 | 3   | —     | —     | 813 | 32  | —     | —   | —    | —   | —    | —       |
| 5401  | with 2 routed circles                      | 76.2 | 3   | 114.3 | 4 1/2 | 813 | 32  | —     | —   | —    | —   | 68   | 2 11/16 |
| 5406  | with 2 applied rosettes                    | 76.2 | 3   | 114.3 | 4 1/2 | 813 | 32  | —     | —   | —    | —   | 63.5 | 2 1/2   |
| 5410  | 1 staggered groove                         | 76.2 | 3   | —     | —     | 813 | 32  | —     | —   | 50.8 | 2   | —    | —       |
| 5411  | 1 staggered groove with 2 routed circles   | 76.2 | 3   | 114.3 | 4 1/2 | 813 | 32  | 177.8 | 7   | 50.8 | 2   | 68   | 2 11/16 |
| 5416  | 1 staggered groove with 2 applied rosettes | 76.2 | 3   | 114.3 | 4 1/2 | 813 | 32  | 177.8 | 7   | 50.8 | 2   | 63.5 | 2 1/2   |
| 5420  | 2 grooves                                  | 76.2 | 3   | —     | —     | 813 | 32  | 177.8 | 7   | —    | —   | —    | —       |
| 5421  | 2 grooves with 2 routed circles            | 76.2 | 3   | 114.3 | 4 1/2 | 813 | 32  | 177.8 | 7   | —    | —   | 68   | 2 11/16 |
| 5426  | 2 grooves with 2 applied rosettes          | 76.2 | 3   | 114.3 | 4 1/2 | 813 | 32  | 177.8 | 7   | —    | —   | 63.5 | 2 1/2   |
| 5429  | 2 full length grooves                      | 76.2 | 3   | —     | —     | 813 | 32  | —     | —   | —    | —   | —    | —       |
| 5430  | 3 grooves                                  | 76.2 | 3   | —     | —     | 813 | 32  | 177.8 | 7   | —    | —   | —    | —       |
| 5431  | 3 grooves with 2 routed circles            | 76.2 | 3   | 114.3 | 4 1/2 | 813 | 32  | 177.8 | 7   | —    | —   | 68   | 2 11/16 |
| 5436  | 3 grooves with 2 applied rosettes          | 76.2 | 3   | 114.3 | 4 1/2 | 813 | 32  | 177.8 | 7   | —    | —   | 63.5 | 2 1/2   |
| 5439  | 3 full length grooves                      | 76.2 | 3   | —     | —     | 813 | 32  | —     | —   | —    | —   | —    | —       |

## Ornaments applied to accessories



Model **5970**  
63.5 mm  
2 1/2"



Model **5972\***  
44.5 x 133.4 mm  
1 3/4" x 5 1/4"



Model **5974\***  
50.8 x 264 mm  
2" x 10 3/8"



Model **5978**  
88.9 x 408 mm  
3 1/2" x 16 1/16"





Model **5980**  
31.8 x 243 mm  
1 1/4" x 9 5/16"

\* Available in pairs only.

# MOULDINGS AND ACCESSORIES

HEATSHIELD FILLERS | CORNER SHELVES | END PANELS | DECORATIVE  
TAMBOURS EDGEBOARDING | THERMOPLASTIC FOIL

## Heatshield Fillers



**Heatshield fillers** are higher heat resistant fillers for kitchen cabinet installations where heat sources are a concern.

**HPL Heatshield fillers** are pretested to temperatures above 120 °C (250 °F) without delamination, the HPL Heatshield Fillers are postformed 180° profiled components.

Produced with compatible HPL, they are available in most colors. Please contact a Customer Service Representative for an up-to-date list of available colors.


### LENGTHS AVAILABLE SPECIFICATION

- 1.2 m (4') (5315)
- 2.4 m (8') (5316)

Each length is supplied with a 25.4 mm (1") edgebanding strip. After cutting the heatshield filler to size, use the edgebanding strip to finish the ends.

## Installation


### CLEAR PLASTIC HEATSHIELD FILLERS



The clear plastic heatshield is a great option for cabinet installation close to a heat source. With the same resistance to heat as the HPL Heatshield fillers (250 °F / 120 °C), this clear plastic heatshield is compatible with all thermoplastic colors. It is easily installed along the edge of the end panel and requires no adhesive. If installing the heatshield around hinges or rails, a simple cut on the interior of the heatshield is sufficient.


### WALL MOUNTED OVENS

Heatshield fillers as mentioned in base ovens and cook tops section, are recommended. In addition, a horizontal filler should be placed above oven units, with a  $5/8$ "– $3/4$ " horizontal lip, mounted just below the doors above the unit; again flush with, or slightly beyond, the face surfaces of the doors.




### BASE OVENS AND COOK TOPS

The heatshield filler mounted so that the face is flush with adjoining door parts. The same recommendation applies to cook tops with front exhaust vents; fillers, so mounted, provide a barrier to shield excessive radiant and convective heat associated with broiling, with the door slightly opened; as well as, with ovens equipped with "Self Cleaning" features.



### WALL MOUNTED MICROWAVE OVENS AND UNDERMOUNT COFFEE MAKERS

The heatshield filler mounted flush, or protruding slightly beyond the face surfaces of doors above, is recommended. This precludes possible surface damage and swelling of core material from excessive heat and/or steam.



### RESTRICTION

#### Counter top appliances:

Care must be taken when using toasters, toaster ovens, portable grills and other heat/steam generating appliances to ensure that upper cabinet doors are not subjected to excessive temperatures.


## Corner Shelves

### SHELF WITH RADIUS




NOTE: Available same color back.

### SHELF WITH ELLIPSE



If **A** or **B** < 203.2 mm (8"),  
**R** = 88.9 mm (3 1/2")

If **A** and **B** ≥ 203.2 mm (8"),  
**R** = 190.5 mm (7 1/2")



If **A** or **B** sizes are between:

101.6 mm (4") – 152.4 mm (6"),  
**R** = 101.6 mm (4")


152.4 mm (6") – 203.2 mm (8"),  
**R** = 152.4 mm (6")

203.2 mm (8") – 254 mm (10"),  
**R** = 203.2 mm (8")

254 mm (10") – 381 mm (15"),  
**R** = 254 mm (10")

NOTE: Minimum size for **A** and **B** is  
89 mm (3 1/2")

## End Panels



### Sizes available

- 343 mm x 2440 mm (13 1/2" x 96")  
All exterior profiles available 5110 (1 side),  
5116 (2 sides)
- 673 mm x 2440 mm (26 1/2" x 96")  
All exterior profiles available 5111 (1 side),  
5117 (2 sides)
- Custom sizes also available.

## Edgebanding

Our thermoplastic edgebanding is formulated to be used with edgebanding machines operating at 77 °C (170 °F). Since standard edgebanding machines run at 88 °C (190 °F) to 99 °C (210 °F), we also offer PVC edgebanding which can be applied with the standard machines. Available finishes for each type of edgebanding are listed in the table on page 46-47.

### Thermoplastic Edgebanding

- 25.4 mm (1") wide
- 100 m (328') roll (5008)
- 2.4 m (8') length (5009)

### PVC Edgebanding

- 23.8 mm (15/16") wide
- 236.2 m (600') roll (5050)

### SPECIFICATIONS

- 1) Our warranty is applicable on thermoplastic products and does not apply to PVC edgebanding.
- 2) For manual application, a premium grade water-based contact cement should be used.

## Decorative Tambours




### Sizes available

|                           | 3.2 mm (1/8") | 6.4 mm (1/4") |
|---------------------------|---------------|---------------|
| • 0.6 m x 0.6 m (2' x 2') | 5005          | 5055          |
| • 0.6 m x 1.2 m (2' x 4') | 5003          | 5052          |
| • 1.2 m x 1.2 m (4' x 4') | 5004          | 5054          |

### SPECIFICATIONS

- 1) Strip size: 12.7 mm (1/2")  
Initial strip: 38.1 mm (1 1/2")
- 2) Thickness:
  - 3.2 mm (1/8")
  - 6.4 mm (1/4")
- 3) Standard: vertical woodgrain.  
Horizontal woodgrain available as an option.

## Thermoplastic Foil



### Foil Sheets

- 1.2 m (4') wide (5000)

### Peel and Stick

- 1.2 m x 2.4 m (4' x 8') (5040)

### Laminated MDF Panels

- 5014: 6.3 mm x 1.2 m x 2.4 m (1/4" x 4' x 8')
- 5016: 19.05 mm x 1.2 m x 2.7 m (3/4" x 4' x 9')
- 5018: 3.18 mm x 1.2 m x 2.4 m (1/8" x 4' x 8')

### Foil/Unilam

5/8 particle board with foil on one/or both sides.

#### ONE SIDE

- 5011: 1.2 m x 2.4 m (4' x 9')
- 5013: 1.2 m x 2.7 m (4' x 8')

#### BOTH SIDES

- 5010: 1.2 m x 2.4 m (4' x 9')
- 5012: 1.2 m x 2.7 m (4' x 8')

NOTE: See table pages 46-47 for specifications and colors available.

# TECHNICAL SPECIFICATIONS

## FINGERPULLS | HINGES

### Product Properties

Height and width tolerance

- $\pm 0.5$  mm (0.020")

Warp tolerance per linear foot

- $\pm 0.8$  mm ( $\frac{1}{32}$ "). Refer to page 43 for recommended hinge holes.

Heat resistance

- 85 °C (185 °F). See page 40 for installation near heat sources.


### Product Care and Maintenance

Thermoplastic doors can be easily cleaned with mild soap and water. However, as with any quality product, there are certain precautions you can take to preserve its value.

- Avoid the use of harsh chemicals, such as lacquer thinner, bleach or cleansers containing solvents or abrasives; especially avoid products containing toluene or acetone.
- Avoid bumping or hitting surface with a sharp object, since it could result in a permanent indentation or cut. In the event of abuse, minor surface scratches can sometimes be removed depending on the severity of the damage. The following is recommended:
  - 1) Rub the scratched area with a high grade polishing compound.
  - 2) Polish the area with a carnuba based wax.
  - 3) Repair kits are available from paint companies specializing in touch up paints.
- Avoid exposure of doors and drawers with high heat. To ensure against damage to doors or drawers, please do the following:
  - 1) When broiling with oven door open, open doors and drawers of adjacent cabinets to minimize exposure to high heat.
  - 2) Since the door seals on some ranges and ovens allow high heat to escape during the self cleaning cycle, as a precaution, open or remove doors and drawers of adjacent cabinets during the self cleaning cycle.
  - 3) Be aware of countertop appliances such as boilers, toasters and toaster ovens that create high heat conditions. They should not be directly under doors of overhead cabinets while in use.


### Banks of drawers

We recommend ordering banks of drawers as doors rather than as reduced rail drawer fronts when they are over 228.6 mm (9") high.




## Fingerpull

The descriptive codes for fingerpull location have been simplified. (\*) in the new code correspond to the exterior profiles selected. Please replace the asterisk (\*) by the exterior profile letter.





- 1) Can be added to all exterior profiles except **G, H, L, M** and **S**.
- 2) Fingerpulls 4\*\*\*, \*4\*\*, \*\*4\* and \*\*\*4 will be full length – starting 25.4 mm (1") from one side and ending 25.4 mm (1") from the other side.
- 3) All other fingerpulls will be 101.6 mm (4") wide. Fingerpulls on the corners will be 25.4 mm (1") from the end.



|      |                        |
|------|------------------------|
| 4*** | Top full length        |
| *4** | Bottom full length     |
| **4* | Left side full length  |
| ***4 | Right side full length |
| 1*** | Top left               |
| 2*** | Top center             |
| 3*** | Top right              |
| *1** | Bottom left            |
| *2** | Bottom center          |
| *3** | Bottom right           |
| **1* | Left side top          |
| **2* | Left side center       |
| **3* | Left side bottom       |
| ***1 | Right side top         |
| ***2 | Right side center      |
| ***3 | Right side bottom      |

## Quantity and Location of Hinges



Standard hinge hole diameter: 35 mm (1 3/8")

Standard depth: 12.6 mm (1/2")

Standard location:

- for doors 254 mm (10") and over, 3 mm (1/8") from side and centered at 88.9 mm (3 1/2") from top or bottom edge of the door.
- for doors less than 254 mm (10"), 3 mm (1/8") from side and centered at 63.5 mm (2 1/2") from top or bottom edge of the door.

### NOTE

For doors requiring more than 2 hinges, a drawing indicating actual position of the hinge holes is required.

| DOOR HEIGHT      |              | NUMBER OF HINGES<br>REQUIRED |
|------------------|--------------|------------------------------|
| mm               | inches       |                              |
| 0 to 899.16      | 0 to 35.4    | 2                            |
| 899.17 to 1000.8 | 35.5 to 39.4 | 3                            |
| 1000.9 to 1991.4 | 39.5 to 78.4 | 4                            |
| 1991.5 to 2438.4 | 78.5 to 96   | 5                            |

Minimum sizes indicated for each door model must be respected due to hinge clearance considerations.



# COLORS AND FINISHES

## THERMOPLASTIC FOIL COLORS

**S** Suggested color/design options in HPL.


**M** Suggested color/design options in melamine.

These suggested options are informational only.

For accurate color selection we recommend that you obtain a product sample.



**P501WT** Linear Ash - textured  
**S** Flakeboard WF368




**P503WT** Sculpted Wenge - textured



**P551WT** Boardwalk - textured  
**M** Tafisa L551 Alto finish  
**S** Arborite T551-AT




**P571WT** Merapi - textured  
**M** Flakeboard WF396  
**S** Flakeboard FB3960



**P550WT** Beachwood - textured  
**M** Tafisa L550 Alto finish  
**S** Arborite T550-AT



**P573WT** Stromboli - textured  
**M** Flakeboard WF397  
**S** Flakeboard FB3970



**P572WT** Pacaya - textured  
**M** Flakeboard WF398  
**S** Flakeboard FB3980




**P502WT** Artic Ribbon - textured  
**M** Flakeboard WF355  
**S** Flakeboard WF355




**P477W** Tuxedo - matte  
**M** Tafisa L477  
**S** Arborite T477-CA




**F44W** Chocolat Pear Tree - matte  
**M** Tafisa L444  
**S** Arborite W444-CA



**P494W** Dark Chocolate - matte  
**M** Tafisa L494  
**S** Arborite T494-CA



**P493W** Milk Chocolate - matte  
**M** Tafisa L493  
**S** Arborite T493-CA




**P297W** En Vogue - matte  
**M** Flakeboard WF297  
**S** Flakeboard WF297




**P342W** Noce Secchia - matte  
**M** Flakeboard WF342  
**S** Flakeboard WF342



**P489W** Copa Cabana - matte  
**M** Tafisa L489  
**S** Arborite T489-CA



**P301W** Noce Vettore - matte  
**M** Flakeboard WF301  
**S** Flakeboard WF301




**P194W** Walnut - matte  
**S** Formica U201-58




**P488W** Dolce Vita - matte  
**M** Tafisa L488  
**S** Arborite T488-CA



**P122W** Silken Maple - matte  
**M** Flakeboard WF122  
**S** Flakeboard WF122



**P340W** Aria - matte  
**M** Flakeboard WF340  
**S** Flakeboard WF340




**P485W** Concerto - matte  
**M** Tafisa L485  
**S** Arborite T485-CA



**R207W** Choco Cherry - matte  
**M** Panval 207, Tafisa L807  
**S** Formica U207-58



**P479W** Truffle - matte  
**M** Tafisa L479  
**S** Arborite T479-CA



**S462W** Flamenco Cherry - matte  
**M** Tafisa L462  
**S** Arborite T462-CA



**R766W** Cayenne Maple - matte  
**M** Panval 766, Tafisa L478  
**S** Formica U766-58



**P472W** Shiraz Cherry - matte  
**M** Tafisa L472  
**S** Arborite T472-CA



**C46W** Dark Cherry - matte  
**M** Panval 969, Panolam W185  
**S** Formica U969-58



**R74W** Mahogany - matte



**P473W** Dark Rum Cherry - matte  
**M** Tafisa L473  
**S** Arborite T473-CA




**F20W** Summer Flame - matte  
**M** Tafisa L420, Panolam W336, Panval 263  
**S** Arborite W420-CA, Pionite HP336N



**R204W** Bourbon Cherry - matte  
 M Panval 204, Tafisa L804  
 S Formica U204-58



**P298W** Cosmo Plum - matte  
 S Flakeboard WF298



**V521W** Antique Cherry - matte  
 M Tafisa L521  
 S Arborite T521-CA



**S460W** Samba Cherry - matte  
 M Tafisa L460  
 S Arborite T460-CA




**F97W** Pearwood - matte  
 M Panval 971, Flakeboard WF256  
 S Formica U971-58, Pionite WX031N



**R205W** Tobacco Cherry - matte  
 M Panval 205, Tafisa L805  
 S Formica U205-58



**P53W** Valley Oak - matte  
 M Flakeboard A601



**F21W** Candlelight - matte  
 M Tafisa L421, Panolam W334,  
 Panval 262  
 S Arborite W421-CA



**F43W** Secret - matte  
 M Tafisa L443  
 S Arborite W443-CA



**C92W** Hard Rock Maple - matte  
 M Panval 992, Panolam W290  
 S Pionite WM791N,  
 Wilsonart 10776-60,  
 Formica 86992-58




**C78W** Pink Maple - matte




**P492W** White Chocolate - matte  
 M Tafisa L492  
 S Arborite T492-CA




**P475W** Antique Whitewash - matte  
 M Tafisa L475  
 S Arborite T475-CA




**C72R** Antique White - matte  
 M Panval 810, Panolam S463  
 S Wilsonart 1572-60, Formica 932-58  
 Arborite S463-CA




**C72S** Antique White - satin  
 M Panval 810, Panolam S463  
 S Wilsonart 1572-7  
 (peel and stick)




**C32L** Antique White - high gloss  
 S Formica 932-90, Wilsonart 1572-F1  
 (peel and stick)




**B30R** Almond - matte  
 M Panval 136, Panolam S445,  
 Flakeboard A-920, Tafisa L258  
 S Formica 920-58, Wilsonart D30-60  
 Arborite S445-CA



**V629R** Ivory - matte  
 M Tafisa L204  
 S Arborite T204-CA




**R49L** White - high gloss  
 S Nevamar S7032G, Wilsonart 1573-1  
 Also available  
**R49WL** White Woodgrain - high gloss



**C35S** White - satin




**B21W** White Woodgrain - matte  
 M Flakeboard W400 (Algonquin Ash)  
 S Arborite S417-LQ




**C73R** Frosty White - matte  
 M Flakeboard W100  
 S Wilsonart 1573-60



**B54W** Designer White  
 Woodgrain - matte



**R54R** Designer White - matte  
 M Panolam S645  
 S Wilsonart D354-60



**B21R** White - matte  
 M Flakeboard W400, Panolam S411,  
 Tafisa L080  
 S Wilsonart D427-60




**A663S** Morning Dew  
 M Tafisa L763  
 S Arborite T763-CA



**A660S** Rain Cloud  
 M Tafisa L760  
 S Arborite T760-CA




**A661S** Moon Light  
 M Tafisa L761  
 S Arborite T761-KR




**A230S** Sienna  
 M Flakeboard SF230  
 S Flakeboard FB4300



**A233S** Fossil  
 M Flakeboard SF233  
 S Flakeboard FB2330



**R42L** Black - high gloss  
 S Arborite S405-GL, Formica 909-90,  
 Wilsonart 1595-F1  
 (peel and stick)  
 Also available  
**R42WL** Black Woodgrain - high gloss



**P909R** Black - matte  
 M Uniboard 888  
 S Formica 909-58  
 Also available  
**G909C** Black - Crystal



**K961R** Stainless Steel - Matte  
 M Panval 961, Panolam A60  
 S Formica U961-58

# COLORS AND FINISHES

## PRÉMOULÉ COMPATIBLE COLOR OPTIONS



Wiped  
Glaze Finish



Pencil Lined  
Glaze Finish



High Gloss  
Finish

| Color        | Description                      | Color Group | Color Back    | Foil with Peel & Stick | Melamine                                                     | HPL                                                       | Thermo Edge-banding | PVC Edge-banding |   |   |   |
|--------------|----------------------------------|-------------|---------------|------------------------|--------------------------------------------------------------|-----------------------------------------------------------|---------------------|------------------|---|---|---|
| <b>A230S</b> | Sienna                           | B-C         | ●             | ●                      | Flakeboard SF230                                             | Flakeboard FB4300*                                        |                     | ●                |   |   | ● |
| <b>A233S</b> | Fossil                           | B-C         | ●             | ●                      | Flakeboard SF233                                             | Flakeboard FB2330*                                        |                     | ●                |   |   | ● |
| <b>A660S</b> | Rain Cloud                       | B-C         | ●             | ●                      | Tafisa L760                                                  | Arborite T760-CA*                                         |                     | ●                |   |   | ● |
| <b>A661S</b> | Moonlight                        | B-C         | ●             | ●                      | Tafisa L761                                                  | Arborite T761-KR*                                         |                     | ●                |   |   | ● |
| <b>A663S</b> | Morning Dew                      | B-C         | ●             | ●                      | Tafisa L763                                                  | Arborite T763-CA*                                         |                     | ●                |   |   | ● |
| <b>B21R</b>  | White - matte                    | A           | White - matte | ●                      | Flakeboard W400<br>Panolam S411<br>Tafisa L080               | Wilsonart D427-60*                                        | ●                   | ●                | ● | ● | ● |
| <b>B21W</b>  | White Woodgrain - matte          | A           | White - matte | ●                      | Flakeboard W400,<br>(Algonquin)<br>(Ashwood)                 | Arborite S417-LQ*                                         | ●                   | ●                |   |   |   |
| <b>B30R</b>  | Almond - matte                   | A           | ●             | ●                      | Flakeboard A920<br>Panolam S445<br>Panval 136<br>Tafisa L258 | Arborite S445-CA<br>Formica 920-58*<br>Wilsonart D30-60*  | ●                   | ●                | ● | ● | ● |
| <b>B54W</b>  | Designer White Woodgrain - matte | A           | White - matte | ●                      |                                                              |                                                           | ●                   |                  |   |   |   |
| <b>C32L</b>  | Antique White - High gloss       | F           | matte         |                        |                                                              | Formica 932-90<br>Wilsonart 1572-F1*                      | ●                   | ●                |   |   |   |
| <b>C35S</b>  | White - satin                    | D           | White - matte | ●                      |                                                              |                                                           | ●                   | ●                |   |   |   |
| <b>C46W</b>  | Dark Cherry - matte              | B-C         | ●             | ●                      | Panval 969<br>Panolam W185                                   | Formica U969-58*                                          | ●                   | ●                | ● | ● | ● |
| <b>C72R</b>  | Antique White - matte            | A           | ●             | ●                      | Panolam S463<br>Panval 810                                   | Formica 932-58*<br>Wilsonart 1572-60*<br>Arborite S463-CA | ●                   | ●                | ● | ● | ● |
| <b>C72S</b>  | Antique White - satin            | D-E         | matte         | ●                      | Panolam S463<br>Panval 810                                   | Wilsonart 1572-7                                          | ●                   |                  |   |   |   |
| <b>C73R</b>  | Frosty White - matte             | A           | White - matte | ●                      | Flakeboard W100                                              | Wilsonart 1573-60*                                        | ●                   | ●                |   |   |   |
| <b>C78W</b>  | Pink Maple - matte               | B           | White - matte | ●                      |                                                              |                                                           | ●                   | ●                |   | ● | ● |
| <b>C92W</b>  | Hard Rock Maple - matte          | B-C         | ●             | ●                      | Panolam W290<br>Panval 992                                   | Formica 86992-58*<br>Pionite WM791N<br>Wilsonart 10776-60 | ●                   | ●                | ● | ● | ● |
| <b>F20W</b>  | Summer Flame - matte             | B-C         | ●             | ●                      | Panolam W336<br>Panval 263<br>Tafisa L420                    | Arborite W420-CA*<br>Pionite HP336N*                      | ●                   | ●                | ● | ● | ● |
| <b>F21W</b>  | Candlelight - matte              | B-C         | ●             | ●                      | Panolam W334<br>Panval 262<br>Tafisa L421                    | Arborite W421-CA*                                         | ●                   | ●                |   | ● | ● |
| <b>F43W</b>  | Secret - matte                   | B-C         | ●             | ●                      | Tafisa L443                                                  | Arborite W443-CA*                                         | ●                   | ●                | ● | ● | ● |
| <b>F44W</b>  | Chocolate Pear Tree - matte      | B-C         | ●             | ●                      | Tafisa L444                                                  | Arborite W444-CA*                                         | ●                   | ●                |   | ● | ● |
| <b>F97W</b>  | Pearwood - matte                 | B-C         | ●             | ●                      | Flakeboard WF256<br>Panval 971                               | Pionite WX031N<br>Formica U971-58*                        | ●                   | ●                |   | ● |   |
| <b>K961R</b> | Stainless Steel - matte          | D-E         | ●             | ●                      | Panolam A60<br>Panval 961                                    | Formica U961-58*                                          | ●                   | ●                |   |   | ● |
| <b>P122W</b> | Silken Maple - matte             | B-C         | ●             | ●                      | Flakeboard WF122                                             | Flakeboard WF122*                                         | ●                   | ●                | ● | ● | ● |
| <b>P194W</b> | Walnut - matte                   | D           |               | ●                      |                                                              | Formica U201-58*                                          |                     | ●                |   |   | ● |
| <b>P297W</b> | En Vogue - matte                 | B-C         | ●             | ●                      | Flakeboard WF 297                                            | Flakeboard WF297*                                         |                     | ●                | ● | ● | ● |
| <b>P298W</b> | Cosmo Plum - matte               | B           |               | ●                      |                                                              | Flakeboard WF298*                                         |                     | ●                | ● | ● | ● |
| <b>P301W</b> | Noce Vettore - matte             | B-C         | ●             | ●                      | Flakeboard WF301                                             | Flakeboard WF301*                                         |                     | ●                |   |   | ● |
| <b>P340W</b> | Aria - matte                     | B-C         | ●             | ●                      | Flakeboard WF340                                             | Flakeboard WF340*                                         |                     | ●                |   |   | ● |

\* Stock Pré-moulé

Shaded color code indicates same color back available. All other colors with white back.

The ultimate responsibility rests solely with the end user with respect to acceptability of these options in specific applications.

Indicates possible color/design options available in **HPL** and/or **MELAMINE**.


The ultimate responsibility rests solely with the end user with respect to acceptability of these options in specific applications.

| Color         | Description                  | Color Group | Color Back    | Foil with Peel & Stick | Melamine                  | HPL                                                       | Thermo Edge-banding | PVC Edge-banding |  |  |  |
|---------------|------------------------------|-------------|---------------|------------------------|---------------------------|-----------------------------------------------------------|---------------------|------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>P342W</b>  | Noce Secchia - matte         | B-C         | ●             | ●                      | Flakeboard WF342          | Flakeboard WF342*                                         |                     | ●                |                                                                                     |                                                                                     | ●                                                                                   |
| <b>P472W</b>  | Shiraz Cherry - matte        | B-C         | ●             | ●                      | Tafisa L472               | Arborite T472-CA*                                         |                     | ●                | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| <b>P473W</b>  | Dark Rum Cherry - matte      | B-C         | ●             | ●                      | Tafisa L473               | Arborite T473-CA                                          |                     | ●                |                                                                                     | ●                                                                                   | ●                                                                                   |
| <b>P475W</b>  | Antique Whitewash - matte    | B-C         | ●             | ●                      | Tafisa L475               | Arborite T475-CA*                                         |                     | ●                | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| <b>P477W</b>  | Tuxedo - matte               | B-C         | ●             | ●                      | Tafisa L477               | Arborite T477-CA*                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P479W</b>  | Truffle - matte              | B-C         | ●             | ●                      | Tafisa L479               | Arborite T479-CA*                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P485W</b>  | Concerto - matte             | B-C         | ●             | ●                      | Tafisa L485               | Arborite T485-CA*                                         |                     | ●                | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| <b>P488W</b>  | Dolce Vita - matte           | B-C         | ●             | ●                      | Tafisa L488               | Arborite T488-CA*                                         |                     | ●                | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| <b>P489W</b>  | Copa Cabana - matte          | B-C         | ●             | ●                      | Tafisa L489               | Arborite T489-CA                                          |                     | ●                | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| <b>P492W</b>  | White Chocolate - matte      | B-C         | ●             | ●                      | Tafisa L492               | Arborite T492-CA*                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P493W</b>  | Milk Chocolate - matte       | B-C         | ●             | ●                      | Tafisa L493               | Arborite T493-CA*                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P494W</b>  | Dark Chocolate - matte       | B-C         | ●             | ●                      | Tafisa L494               | Arborite T494-CA*                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P53W</b>   | Valley Oak - matte           | B-C         | ●             | ●                      | Flakeboard A601           |                                                           | ●                   |                  | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| <b>P501WT</b> | Linear Ash - textured        | B-C         | ●             | ●                      |                           | Flakeboard WF368*                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P502WT</b> | Arctic Ribbon - textured     | B-C         | ●             | ●                      | Flakeboard WF355          | Flakeboard WF355*                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P503WT</b> | Sculpted Wenge - textured    | B           | White - matte | ●                      |                           |                                                           |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P550WT</b> | Beachwood - textured         | B-C         | ●             | ●                      | Tafisa L550 Alto finish   | Arborite T550-AT*                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P551WT</b> | Boardwalk - textured         | B-C         | ●             | ●                      | Tafisa L551 Alto finish   | Arborite T551-AT*                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P571WT</b> | Merapi - textured            | B-C         | ●             | ●                      | Flakeboard WF396          | Flakeboard FB3960                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P572WT</b> | Pacaya - textured            | B-C         | ●             | ●                      | Flakeboard WF398          | Flakeboard FB3980                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P573WT</b> | Stromboli - textured         | B-C         | ●             | ●                      | Flakeboard WF397          | Flakeboard FB3970                                         |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>P909R</b>  | Black - matte                | A           | Black - matte | ●                      | Uniboard 888              | Formica 909-58*                                           | ●                   |                  |                                                                                     |                                                                                     |                                                                                     |
| <b>G909C</b>  | Black - crystal              | A           | Black - matte | ●                      | Flakeboard BLK100         | Arborite S405-DI<br>Formica 909-42*<br>Wilsonart 1595-90* | ●                   | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>R204W</b>  | Bourbon Cherry - matte       | B-C         | ●             | ●                      | Panval 204<br>Tafisa L804 | Formica U204-58*                                          | ●                   | ●                | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| <b>R205W</b>  | Tobacco Cherry - matte       | B-C         | ●             | ●                      | Panval 205<br>Tafisa L805 | Formica U205-58*                                          | ●                   | ●                | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| <b>R207W</b>  | Choco Cherry - matte         | B-C         | ●             | ●                      | Panval 207<br>Tafisa L807 | Formica U207-58*                                          | ●                   | ●                | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| <b>R42L</b>   | Black - high gloss           | F           | Black - matte |                        |                           | Arborite S405-GL<br>Formica 909-90*<br>Wilsonart 1595-F1  |                     | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>R42WL</b>  | Black Woodgrain - high gloss | F           | Black - matte |                        |                           |                                                           |                     |                  |                                                                                     |                                                                                     |                                                                                     |
| <b>R49L</b>   | White - high gloss           | F           | White - matte | ●                      |                           | Nevamar S7032G<br>Wilsonart 1573-F1*                      | ●                   | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>R49WL</b>  | White Woodgrain - high gloss | F           | White - matte | ●                      |                           |                                                           | ●                   | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>R54R</b>   | Designer White - matte       | A           | White - matte | ●                      | Panoram S645              | Wilsonart D354-60*                                        | ●                   | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>R74W</b>   | Mahogany - matte             | B-C         | ●             | ●                      |                           |                                                           | ●                   | ●                |                                                                                     |                                                                                     | ●                                                                                   |
| <b>R766W</b>  | Cayenne Maple - matte        | B-C         | ●             | ●                      | Panval 766<br>Tafisa L478 | Formica U766-58*                                          | ●                   | ●                |                                                                                     |                                                                                     |                                                                                     |
| <b>S460W</b>  | Samba Cherry - matte         | B-C         | ●             | ●                      | Tafisa L460               | Arborite T460-CA*                                         |                     | ●                |                                                                                     |                                                                                     | ●                                                                                   |
| <b>S462W</b>  | Flamenco Cherry - matte      | B-C         | ●●            | ●                      | Tafisa L462               | Arborite T462-CA*                                         |                     | ●                |                                                                                     |                                                                                     | ●                                                                                   |
| <b>V521W</b>  | Rustik Cherry - matte        | B-C         | ●             | ●                      | Tafisa L521               | Arborite T521-CA*                                         |                     |                  |                                                                                     | ●                                                                                   |                                                                                     |
| <b>V629R</b>  | Ivory - matte                | A           | ●             | ●                      | Tafisa L204               | Arborite T204-CA*                                         | ●                   | ●                | ●                                                                                   | ●                                                                                   | ●                                                                                   |

\* Stock Prémoulé

# HIGH BRILLANCE COLLECTION

REFINEMENT AND ELEGANCE



**H109L** Grey HG



**R42L** Black HG\*




**H107L** Desert Sand | Horizontal Wood Grain



**H108L** Exotic Ebony



**H110L** Taupe HG




**C32L** Antique white HG\*

PVC edgebanding available for the following:  
H101L Bright Red, H108L Exotic Ebony, H109L High Gloss Grey,  
H110L High Gloss Taupe and H106L Orange.





**H101L** Bright Red




**H104L** Olive




**H105L** Cassis



**H106L** Orange



**H102L** Green Apple



**R49L** White HG\*

NOTE: SLAB DOORS ONLY  
 Available profiles: I-J-Q  
 Colors Groups High Gloss Finishes:  
 – Solid Colors = F  
 – Pattern Colors = G

Peel and Stick option available.

\* Also available with our standard program





# ITALIAN LACQUER

REGULAR MODELS SERIES 2170 . 2174 . 2175

Add depth and  
richness  
to your doors and components  
with Italian Lacquer

Our finishes

SATIN · PEARL · HIGH GLOSS · METALLIC · GLAZED

**PRO**  
**TEINT**  
FINISHING  
**FINITIONS**

## Personalized solutions

Pro-Teint finishing customizes lacquers for specific customer needs. For more information on our offer and custom made orders, please contact Customer Service.

As the hand-crafted lacquer specialist, Pro-Teint finishing excels in special finishes. Check out our exciting products!

Option: **Primer** on MDF is also available for you to personalize.

You will find Colors and Finishes availability on page 52.

### 1. General Terms and Conditions

The manufacturer guarantees its products to be free from defects in material and/or workmanship. If its products do not conform to this limited warranty, the buyer shall notify the manufacturer in writing of the claimed defects within three days of receipt. If the defects are properly reported to the manufacturer within the warranty period, and the defects are such type and nature as to be covered by this warranty, the manufacturer shall, at its own expense, provide replacement products or replacement parts of the defective products, determined by the manufacturer.

The manufacturer also guarantees its products against yellowing, cracking, peeling or blistering. During the entire period covered by this warranty, in order to exercise his rights, the buyer shall notify the manufacturer or the authorized distributor without delay of any defect in the product, and shall provide a proof of purchase.

The installation should only be done by an experienced professional. It is also the responsibility of the person installing the product to determine its suitability for a particular application.

### 2. Duration

This warranty is valid for a period of five (5) years following the date of purchase.

### 3. Exclusions

The manufacturer does not guarantee its products against:

- damages arising from improper or abnormal use or handling of its products;
- defects or damages arising from improper installation;
- defects in components not fabricated by the manufacturer
- an improper storage;
- any indirect damage (including incidental, spécial or consequential damages)

Manufacturer transfers to the buyer all warranties received for any non-manufacturer made products or components. This warranty does not apply to products upon which repairs have been made or attempted by persons other than the manufacturer. The sole and exclusive obligation of the manufacturer shall be to repair or replace the defective products in the manner and for the time period stated above.

### 4. Scope

This warranty is unassignable and constitutes the only warranty offered by *Les Finitions Pro-Teint inc.*

There is no warranty of merchantability of fitness for specific purposes other than the warranty detailed above. *Les Finitions Pro-Teint inc.* makes no other warranty whatsoever, expressed or implied, oral or written.

### 5. Coverage

This warranty is exclusive. Only an authorized distributor may, in appliance with the terms and conditions of this warranty, assume the obligations contained herein. No other verbal or written warranty, whether obtained from manufacturer's employees or distributors, shall be considered applicable to this contract.


Finitions Pro-Teint may, at its discretion, request reasonable evidence that any claim is not covered by an exclusion of this warranty.

When this warranty is applicable, *Les Finitions Pro-Teint inc.* may repair its products, provide replacement products or, at its sole option, offer the reimbursement of the purchase price.

## SERIES 70

Category 6

(Pro-teint 10000)



Minimum sizes

**DOORS AND DRAWERS** (Height x Width)

| MODEL | mm            | inches        |
|-------|---------------|---------------|
| 170   | 146.0 x 146.0 | 5 3/4 x 5 3/4 |

**DRAWER FRONTS** with reduced rails (Height x Width)

| MODEL | mm           | inches    |
|-------|--------------|-----------|
| 170   | 76.2 x 146.0 | 3 x 5 3/4 |

Default exterior profile:

Pro-teint 10000

Series 70 drawer fronts come standard with full top and bottom rails. If reduced rail drawer fronts are required, it must be specified when placing your order.

Model **170Q**

Color: BM2001-10

Minimum sizes

**DOORS AND DRAWERS** (Height x Width)

| MODEL | mm            | inches            |
|-------|---------------|-------------------|
| 174   | 147.6 x 147.6 | 5 13/16 x 5 13/16 |

**DRAWER FRONTS** with reduced rails (Height x Width)

| MODEL | mm           | inches            |
|-------|--------------|-------------------|
| 174   | 96.8 x 147.6 | 3 13/16 x 5 13/16 |

Default exterior profile:

Pro-teint 13000

Pro-teint 13003  
(with simple grooves)

Series 74 and 75 drawer fronts come standard with full top and bottom rails. If reduced rail drawer fronts are required, it must be specified when placing your order.

Model **174Y**

Color: D485

Minimum sizes

**DOORS AND DRAWERS** (Height x Width)

| MODEL | mm            | inches            |
|-------|---------------|-------------------|
| 175   | 147.6 x 147.6 | 5 13/16 x 5 13/16 |

**DRAWER FRONTS** with reduced rails (Height x Width)

| MODEL | mm           | inches            |
|-------|--------------|-------------------|
| 175   | 96.8 x 147.6 | 3 13/16 x 5 13/16 |

Default exterior profile:

Pro-teint 13000

Pro-teint 13003  
(with double grooves)

Series 74 and 75 drawer fronts come standard with full top and bottom rails. If reduced rail drawer fronts are required, it must be specified when placing your order.

Model **175Y**


Color: D485

## SERIES 74

Category 6

(Pro-teint 13000)

Series 74



Model 174 with simple grooves




## SERIES 75

Category 6

(Pro-teint 13003)

Series 75



Model 175 with double grooves



# ITALIAN LACQUER

## COLORS AND FINISHES

For door and  
component finishing

### Benjamin Moore

| COLOR                                                                                                    | CODE       | TINT | FINISH   |
|----------------------------------------------------------------------------------------------------------|------------|------|----------|
|  Ruby Red                | BM 2001-10 | K    | L        |
|  Smoldering Red          | BM 2007-10 | K    | L        |
|  Tangelo                 | BM 2017-30 | K    | S-HG-M-P |
|  Provence Creme          | BM 2021-60 | L    | S-HG-M-P |
|  Sundance                | BM 2022-50 | L    | S-HG-M-P |
|  Lemon Meringue          | BM 2023-50 | K    | L        |
|  Butter                  | BM 2023-60 | L    | S-HG-M-P |
|  Iguana Green            | BM 2028-10 | K    | S-HG-M-P |
|  Sapphireberry           | BM 2063-60 | L    | L        |
|  Evening Blue            | BM 2066-20 | K    | L        |
|  Cement Gray             | BM 2112-60 | L    | S-HG-M-P |
|  Iceberg                 | BM 2122-50 | L    | L        |
|  Marilyn's Dress         | BM 2125-60 | L    | S-HG-M-P |
|  Black Tar               | BM 2126-10 | K    | S-HG-M-P |
|  Black Beauty            | BM 2128-10 | K    | S-HG-M-P |
|  Oxford Gray             | BM 2128-40 | K    | S-HG-M-P |
|  November Skies          | BM 2128-50 | L    | S-HG-M-P |
|  Night Horizon          | BM 2134-10 | K    | S-HG-M-P |
|  Whale Gray            | BM 2134-40 | K    | S-HG-M-P |
|  Gray Owl              | BM 2137-60 | L    | S-HG-M-P |
|  Alligator Green       | BM 2143-20 | K    | S-HG-M-P |
|  Camouflage            | BM 2143-40 | L    | L        |
|  Simply White          | BM 2143-70 | W    | S-HG-M-P |
|  Soft Fern             | BM 2144-40 | L    | S-HG-M-P |
|  Light Khaki           | BM 2148-40 | L    | S-HG-M-P |
|  Tropical Orange       | BM 2170-20 | K    | L        |
|                                                                                                          |            |      |          |
|  Hawthorne Yellow      | BM HC-4    | L    | S-HG-M-P |
|  Chester Town Buff     | BM HC-9    | L    | S-HG-M-P |
|  Marblehead Gold       | BM HC-11   | L    | S-HG-M-P |
|  Hepplewhite Ivory     | BM HC-36   | L    | S-HG-M-P |
|  Townsend Harbor Brown | BM HC-64   | K    | S-HG-M-P |
|  Branchport Brown      | BM HC-72   | K    | S-HG-M-P |
|  Manchester Tan        | BM HC-81   | L    | S-HG-M-P |
|  Elmira White          | BM HC-84   | L    | S-HG-M-P |
|  Sussex Green          | BM HC-109  | K    | S-HG-M-P |
|  Kennebunkport Green   | BM HC-123  | L    | S-HG-M-P |
|  Wythe Blue            | BM HC-143  | L    | S-HG-M-P |
|  Van Deusen Blue       | BM HC-156  | K    | L        |
|  Puritan Grey          | BM HC-164  | K    | S-HG-M-P |

### Benjamin Moore

| COLOR                                                                                                 | CODE      | TINT | FINISH   |
|-------------------------------------------------------------------------------------------------------|-----------|------|----------|
|  Ultrawhite          | BM CC-10  | W    | S-HG-M-P |
|  Decorators White    | BM CC-20  | W    | S-HG-M-P |
|  Oxford White        | BM CC-30  | W    | S-HG-M-P |
|  Ivory White         | BM CC-130 | L    | S-HG-M-P |
|  Barely Beige        | BM CC-140 | L    | S-HG-M-P |
|  Barley              | BM CC-180 | L    | S-HG-M-P |
|  Baffin Island       | BM CC-270 | K    | S-HG-M-P |
|  Wild Mushroom       | BM CC-336 | K    | S-HG-M-P |
|  Mocassin            | BM CC-430 | L    | HG       |
|  Caramel Appel       | BM CC-450 | K    | S-HG-M-P |
|  Cabot Trail         | BM CC-480 | L    | S-HG-M-P |
|  Willow              | BM CC-542 | L    | S-HG-M-P |
|  Metropolis          | BM CC-546 | K    | HG       |
|  Nordic Gray         | BM CC-576 | K    | S-HG-M-P |
|  Grasslands          | BM CC-590 | K    | HG       |
|  Mossy Oak           | BM CC-600 | K    | S-HG-M-P |
|  Smoky Green         | BM CC-700 | L    | HG       |
|  Jet Blue           | BM CC-870 | F    | S-HG-M-P |
|                                                                                                       |           |      |          |
|  Natural Wicker    | BM OC-1   | L    | S-HG-M-P |
|  Ballet White      | BM OC-9   | W    | S-HG-M-P |
|  Clay Beige        | BM OC-11  | L    | HG       |
|  Natural Cream     | BM OC-14  | L    | S-HG-M-P |
|  White Dove        | BM OC-17  | W    | S-HG-M-P |
|  Seapearl          | BM OC-19  | L    | HG       |
|  Calm              | BM OC-22  | L    | S-HG-M-P |
|  Tapestry Beige    | BM OC-32  | L    | S-HG-M-P |
|  Opaline           | BM OC-33  | L    | S-HG-M-P |
|  Niveous           | BM OC-36  | L    | S-HG-M-P |
|  White Wing        | BM OC-45  | W    | S-HG-M-P |
|  Snow White        | BM OC-66  | W    | S-HG-M-P |
|  Pink Damask       | BM OC-72  | L    | S-HG-M-P |
|  Delosate          | BM OC-101 | L    | S-HG-M-P |
|  Sea Shell         | BM OC-120 | L    | HG       |
|  Moonlight White   | BM OC-125 | L    | S-HG-M-P |
|  Cloud White       | BM OC-130 | W    | S-HG-M-P |
|  Grand Teton White | BM OC-132 | L    | S-HG-M-P |
|  Morning Dew       | BM OC-140 | W    | S-HG-M-P |

This color and finish listing is for information purposes only. For all finishes available, contact customer service.

#### LEGEND:

**Tint:** W = White L = Light K = Dark

**Finish:** S = Satiné HG = High gloss M = Metallic P = Pearl

## WilsonArt

| COLOR                                                                                             | CODE   | TINT | FINISH   |
|---------------------------------------------------------------------------------------------------|--------|------|----------|
|  Red Wils        | D 14   | K    | S-HG-M-P |
|  Atlantis        | D 25   | K    | S-HG-M-P |
|  Natural Almond  | D 30   | L    | S-HG-M-P |
|  Pewter          | D 73   | W    | S-HG-M-P |
|  Hunter Green    | D 79   | K    | S-HG-M-P |
|  Shadow          | D 96   | K    | S-HG-M-P |
|  Haze            | D 97   | L    | S-HG-M-P |
|  Hollyberry      | D 307  | K    | S-HG-M-P |
|  Platinum        | D 315  | L    | S-HG-M-P |
|  Brittany Blue   | D 321  | K    | S-HG-M-P |
|  Bluejay         | D 322  | K    | S-HG-M-P |
|  Sand            | D 331  | L    | S-HG-M-P |
|  Designer White  | D 354  | W    | S-HG-M-P |
|  Fashion Grey    | D 381  | L    | HG       |
|  Cloud           | D 391  | L    | HG       |
|  Sand            | D 403  | W    | S-HG-M-P |
|  Lapis Blue      | D 417  | K    | HG       |
|  Alabaster      | D 431  | L    | S-HG-M-P |
|  Fleece        | D 436  | L    | HG       |
|  Tuscan Olive  | D 481  | F    | S-HG-M-P |
|  Pearl Bisque  | D 485  | L    | S-HG-M-P |
|  Light Beige   | D 1531 | L    | S-HG-M-P |
|  Antique White | D 1572 | W    | S-HG-M-P |
|  Frosty White  | D 1573 | W    | S-HG-M-P |
|  Black         | D 1595 | K    | S-HG-M-P |

## Sherwin-Williams

| COLOR                                                                                                    | CODE    | TINT | FINISH   |
|----------------------------------------------------------------------------------------------------------|---------|------|----------|
|  Black Bean           | SW 6006 | K    | S-HG-M-P |
|  Versatile Grey       | SW 6072 | L    | S-HG-M-P |
|  Garret Grey          | SW 6075 | K    | S-HG-M-P |
|  Antique White        | SW 6119 | L    | S-HG-M-P |
|  Rice Grain           | SW 6155 | W    | S-HG-M-P |
|  Dignity Blue         | SW 6804 | K    | HG       |
|  Optimistic-Yellow    | SW 6900 | L    | S-HG-M-P |
|  Ceiling Bright White | SW 7007 | W    | HG       |
|  Tony Taupe           | SW 7038 | L    | S-HG-M-P |

## Formica

| COLOR                                                                                             | CODE   | TINT | FINISH   |
|---------------------------------------------------------------------------------------------------|--------|------|----------|
|  Ivory           | F 460  | L    | S-HG-M-P |
|  Sail White      | F 463  | L    | S-HG-M-P |
|  Stop Red        | F 839  | K    | HG       |
|  Spectrum Red    | F 845  | K    | S-HG-M-P |
|  Spectrum Blue   | F 851  | K    | S-HG-M-P |
|  Pumice          | F 858  | L    | HG       |
|  Platinum        | F 902  | L    | S-HG-M-P |
|  Black           | F 909  | K    | S-HG-M-P |
|  Storm           | F 912  | K    | S-HG-M-P |
|  Indian Smoke    | F 913  | L    | S-HG-M-P |
|  Almond          | F 920  | L    | S-HG-M-P |
|  Surf            | F 923  | W    | S-HG-M-P |
|  Folkstone       | F 927  | L    | HG       |
|  Oyster Gray     | F 929  | L    | S-HG-M-P |
|  Antique White   | F 932  | W    | S-HG-M-P |
|  Mission White   | F 933  | W    | S-HG-M-P |
|  Pearl           | F 934  | L    | S-HG-M-P |
|  White          | F 949  | W    | S-HG-M-P |
|  Fog           | F 961  | L    | S-HG-M-P |
|  Burgundy      | F 966  | F    | S-HG-M-P |
|  Neon Yellow   | F 6900 | K    | HG       |
|  Vibrant Green | F 6901 | K    | HG       |
|  Dover White   | F 7197 | W    | S-HG-M-P |

## Sico

| COLOR                                                                                                 | CODE       | TINT | FINISH   |
|-------------------------------------------------------------------------------------------------------|------------|------|----------|
|  Auburn Tint       | Si 4126-53 | K    | S-HG-M-P |
|  Daisy Petal       | Si 4158-11 | W    | HG       |
|  Blue Winter Night | Si 4182-73 | K    | S-HG-M-P |
|  Turtle Eggshell   | Si 6107-11 | W    | S-HG-M-P |
|  Escarole          | Si 6137-31 | L    | HG       |
|  Igloo White       | Si 6184-11 | W    | S-HG-M-P |

## Pratt & Lambert

| COLOR                                                                                         | CODE    | TINT | FINISH   |
|-----------------------------------------------------------------------------------------------|---------|------|----------|
|  Gray Mist | PL 2139 | W    | S-HG-M-P |

## GLAZE ON THERMOPLASTIC


## REFERENCE LIST

| COLORS | DESCRIPTION                | PENCILED<br>GLAZE | WIPED<br>GLAZE | WHITE | BLACK | BRUN | RUST | TAN | GREY-<br>BEIGE |
|--------|----------------------------|-------------------|----------------|-------|-------|------|------|-----|----------------|
| B21R   | White - matte              | ✓                 | ✓              |       | •     | •    | •    |     |                |
| B30R   | Almond - matte             | ✓                 | ✓              |       | •     | •    | •    |     |                |
| C46W   | Dark Cherry - matte        | ✓                 | ✓              |       | •     | •    | •    | •   | •              |
| C72R   | Antique White - matte      | ✓                 | ✓              |       | •     | •    | •    |     | •              |
| C78W   | Pink Maple - matte         | ✓                 | —              | •     | •     | •    | •    | •   | •              |
| C92W   | Hard Rock Maple - satin    | ✓                 | ✓              | •     | •     | •    | •    |     | •              |
| F20W   | Summer Flame - matte       | ✓                 | ✓              | •     | •     | •    |      | •   | •              |
| F21W   | Candlelight - matte        | ✓                 | —              | •     | •     | •    | •    | •   | •              |
| F43W   | Secret - matte             | ✓                 | ✓              | •     | •     | •    | •    |     | •              |
| F44W   | Chocolat Pear Tree - matte | ✓                 | —              | •     |       |      |      | •   | •              |
| F97W   | Pearwood - matte           | ✓                 | —              | •     | •     | •    | •    | •   | •              |
| P297W  | En vogue                   | ✓                 | ✓              |       | •     |      |      | •   |                |
| P298W  | Cosmo Plum                 | ✓                 | ✓              |       | •     |      |      | •   |                |
| P448W  | Cognac Cherry - matte      | ✓                 |                | •     | •     | •    | •    | •   | •              |
| P472W  | Shiraz Cherry - matte      | ✓                 | ✓              | •     | •     | •    |      | •   | •              |
| P473W  | Dark Rum Cherry - matte    | ✓                 | —              | •     | •     | •    |      | •   | •              |
| P475W  | Antique Whitewash - matte  | ✓                 | ✓              |       | •     | •    | •    | •   | •              |
| P485W  | Concerto - matte           | ✓                 | ✓              |       | •     | •    |      |     |                |
| P488W  | Dolce Vita - matte         | ✓                 | ✓              |       | •     | •    |      |     |                |
| P489W  | Copa Cabana - matte        | ✓                 | ✓              |       | •     | •    |      |     |                |
| R204W  | Bourbon Cherry - matte     | ✓                 | ✓              | •     | •     | •    |      | •   | •              |
| R205W  | Tobacco Cherry - matte     | ✓                 | ✓              | •     | •     | •    | •    | •   | •              |
| R207W  | Choco Cherry - matte       | ✓                 | ✓              | •     | •     |      | •    | •   | •              |
| V521W  | Antique Cherry - matte     | ✓                 |                | •     | •     | •    |      | •   | •              |
| V629R  | Ivory - matte              | ✓                 | ✓              |       | •     | •    | •    |     |                |

| ACCESSORIES                                    | PENCILED<br>GLAZE | WIPED<br>GLAZE |
|------------------------------------------------|-------------------|----------------|
| Frame and Mullion Doors – Panels – Wine Racks♦ | ✓                 | ✓              |
| End Panels                                     | ■                 | ✓              |
| Crown mouldings                                | ✓                 | ✓              |
| Decorative Mouldings                           | —                 | ✓              |
| Trim Mouldings                                 | —                 | ✓              |
| Decorative Tambours                            | —                 | ✓              |
| Foil / Unilam (Cut to size)                    | ✓                 | ✓              |

4' x 8' not available.


NOTES : Since both the penciled and wiped glazes are done by hand, variations can and will, occur. Wiped Glaze will change the color of the foil, whereas penciled glaze will not.



## Interior Profiles


Model 03 page 14

Suggested exterior profile: C



Model 50 page 27

Suggested exterior profile: C



Model 07 page 17

Suggested exterior profile: C




Modèles 55/56 page 6

Suggested exterior profile: C



Model 06 page 15

Suggested exterior profile: C



Modèles 86/96 page 16

Suggested exterior profile: C



Model 27 page 14

Suggested exterior profile: A




Modèles 87/97 page 16

Suggested exterior profile: C




Model 33 page 15


Suggested exterior profile: A




Model 942 page 8



## Exterior Profiles



## Series 7000



• Recommended Color

✓ Glaze Available

— Glaze Not Available

## ACCESSORIES

Refer to the above list of color selections for glaze availability.

■ See available door profiles

## PROFILES AND MODELS

For wiped glaze doors without pencil lined detail, specify on order "Wipe without pencil lined" or contact Customer Service.

• Indicates line details where penciled glaze/ excess wiped glaze will remain.

# HIGH GLOSS


## ON THERMO DOORS

Premium quality Italian lacquer applied on thermoplastic doors and components.  
The high gloss coating acts as a protective shield for durability, adds brilliance to any decor and enhances the wood grain pattern.



The High Gloss on Thermo Program proposes the following models:

### SERIES 00




Crown mouldings, Trim Mouldings and Valences complete the program.




### Crown mouldings


For more information concerning the offered products, please contact our Customer Service.



Model **718**



Model **719**



Model **721**

### THE HIGH GLOSS ON THERMO COLLECTION

Colors of compatible High Gloss High Pressure Laminates.

| COLOR | DESCRIPTION        | COMPATIBLE HIGH GLOSS HPL COLORS |
|-------|--------------------|----------------------------------|
| F44W  | Chocolat Pear Tree | W444-GL*                         |
| R207W | Choco Cherry       | U207-90*                         |

\* Stock Prémoulé

For other High Gloss possibilities please refer to pages 46-47.



|                                                       |       |
|-------------------------------------------------------|-------|
| EDGEBOARDING .....                                    | 41    |
| 3" STANDARD VALANCES .....                            | 37    |
| VALANCES (DESIGNER SERIES) .....                      | 38    |
| CUSTOM VALANCES .....                                 | 38    |
| CASINGS .....                                         | 36    |
| DECORATIVE MOULDINGS .....                            | 36    |
| 3" RADIUS CORNERS .....                               | 39    |
| DECORATIVE CORNER .....                               | 36    |
| HEATSHIELD FILLERS .....                              | 40    |
| COLORS AND FINISHES .....                             | 44-45 |
| COLORS AND FINISHES<br>COMPATIBLE COLOR OPTIONS ..... | 46-47 |
| HIGH BRILLANCE .....                                  | 48-49 |
| ITALIAN LACQUER .....                                 | 50-51 |
| GLASS RETAINER MOULDING .....                         | 35    |
| TRIM MOULDINGS .....                                  | 36    |
| CROWN MOULDINGS .....                                 | 37    |
| DECORATIVE MOULDINGS .....                            | 36    |
| PANELS                                                |       |
| Built-in Appliance/Panels .....                       | 32    |
| Multiple Panels .....                                 | 32    |
| Appliance Panels .....                                | 32    |
| Wine Racks .....                                      | 33    |
| LAMINATED MDF .....                                   | 41    |
| END PANELS .....                                      | 41    |
| PILASTRE SHAKER .....                                 | 39    |
| FLUTED FILLERS .....                                  | 39    |
| BASE BOARDS .....                                     | 36    |

|                                       |               |
|---------------------------------------|---------------|
| MITRE STYLE DOOR MODELS               |               |
| Series 7000 .....                     | 4-5           |
| SHAKER DOORS .....                    | 6-7 and 10-11 |
| EXTERIOR PROFILES .....               | 3             |
| INTERIOR PROFILES .....               | 2             |
| GROOVES ON CENTER PANELS .....        | 31            |
| THERMOPLASTIC FOIL .....              | 41            |
| ROSETTES AND CIRCLE ROUTES .....      | 39            |
| DECORATIVE BASE .....                 | 36            |
| TECHNICAL SPECIFICATIONS              |               |
| Fingerpull .....                      | 43            |
| Product Care and Maintenance .....    | 42            |
| Quantity and Location of hinges ..... | 43            |
| Product Properties .....              | 42            |
| Banks of drawers .....                | 42            |
| PRÉMOULÉ SYSTEM .....                 | 2             |
| GLASS INSERT SIZES .....              | 35            |
| CORNER SHELVES .....                  | 41            |
| DECORATIVE TAMBOURS .....             | 41            |
| FRAME AND MULLION DOORS .....         | 34-35         |

## SERIES

## MODELS

|       |       |      |        |
|-------|-------|------|--------|
| 00    | p. 28 | 910  | p. 30  |
| 01    | p. 22 | 911  | p. 29  |
| 03    | p. 16 | 912  | p. 28  |
| 04    | p. 22 | 921  | p. 27  |
| 06    | p. 17 | 928  | p. 8   |
| 07    | p. 19 | 942  | p. 8   |
| 08    | p. 25 | 943  | p. 9   |
| 09    | p. 24 | 944  | p. 9   |
| 15    | p. 23 | 972  | p. 26  |
| 27    | p. 16 | 974  | p. 26  |
| 32    | p. 25 | 996  | p. 30  |
| 33    | p. 17 | 7000 | p. 4-5 |
| 39    | p. 24 | 164  | p. 10  |
| 46    | p. 19 | 167  | p. 11  |
| 47    | p. 23 | 170  | p. 47  |
| 48    | p. 21 | 174  | p. 47  |
| 49    | p. 21 | 175  | p. 47  |
| 50    | p. 29 | 764  | p. 10  |
| 51/55 | p. 6  | 767  | p. 11  |
| 52/56 | p. 6  |      |        |
| 61/65 | p. 7  |      |        |
| 62/66 | p. 7  |      |        |
| 70    | p. 13 |      |        |
| 71    | p. 14 |      |        |
| 72    | p. 14 |      |        |
| 73    | p. 27 |      |        |
| 76    | p. 13 |      |        |
| 77/78 | p. 15 |      |        |
| 83/93 | p. 12 |      |        |
| 85/95 | p. 12 |      |        |
| 86/96 | p. 18 |      |        |
| 87/97 | p. 18 |      |        |
| 88/98 | p. 20 |      |        |
| 89/99 | p. 20 |      |        |





2375, rue Dalton  
Québec (Québec)  
G1P 3S3 Canada

**Telephone**  
418 652-7777 / 1 866 652-7777

**Fax**  
418 878-5591 / 1 866 878-5591

**[www.premoule.com](http://www.premoule.com)**

**Distributed by**

For product specifications and more detailed information, product catalogs and samples can be ordered.

Photography in this brochure is for illustration purposes only. Actual laminate color may vary slightly due to the printing process. For accurate color selection we recommend that you obtain a product sample

**Prémoulé supports**



9790 MK-B1036A Printed in Canada 06/15